

Volume 37

2002

Author Index

A

Aaseng, J.E., 633
 Abadie, J.M., 1383
 Abel, S., 869
 Acar, N., 849
 Adam, A.C., 417
 Adlerstein, D., 209
 Adlof, R.O., 741
 Adnot, P., 501
 Adzet, T., 445
 Agellon, L.B., 159
 Ågren, J.J., 613
 Aitzetmüller, K., 17
 Akahoshi, A., 343
 Alegret, M., 445
 Alemanno, N., 967
 Alicea, J., 305
 Almanza, S., 849
 Alonso, D.L., 417
 Amate, L., 975
 Amiano, P., 333
 Angers, P., 17, 111, 325, 435, 527
 Aragonés, M.D., 43
 Archer, M.C., 853
 Armitage, J.A., 759
 Arslan, G., 935
 Arul, J., 111
 Assimakopoulos-Jeannet, F., 501
 Attar-Bashi, N.M., 1113
 Aukema, H., 1059
 Ayala, N.L., 1033

B

Bachain, P., 817
 Baer, D.J., 33, 123
 Balestrieri, C., 1047
 Balliano, G., 1171
 Bankovic-Calic, N., 1059
 Barhoumi, R., 193
 Bartoli, G.M., 173
 Bartolini, G., 725
 Basu, S., 231, 1135
 Bauman, D.E., 681
 Baumgard, L.H., 681
 Beerman, K.A., 133
 Beilin, L.J., 455
 Bell, J.D., 95
 Bellenger-Germain, S., 561
 Belleville, J., 773
 Benito, P., 741
 Bérard, A.M., 767
 Berdeaux, O., 849, 1039

Berdyshev, E.V., 907
 Bergamini, E., 913
 Bernasconi, A.M., 375
 Berstad, A., 935
 Berven, G., 1019
 Bigogno, C., 209
 Bildfell, R., 751
 Blackadar, C.B., 823
 Blankson, H., 1019
 Bobik, E.G., 733
 Boccellino, M., 1047
 Boehm, G., 959
 Boersma, E.R., 959
 Boitard, E., 653
 Bok, S.-H., 641
 Borchman, D., 1087
 Brash, A.R., 217
 Brenner, R.R., 375
 Brun, J.G., 935
 Brunborg, L.A., 935
 Bruni, A., 53
 Bryden, W.L., 1067
 Burghardt, R.C., 193
 Byrdwell, W.C., 1087

C

Calvo, J.J., 167
 Campa, A., 925
 Carballeira, N.M., 305, 1033
 Caro, Y., 817
 Carpentier, Y.A., 573
 Casas, J., 401
 Casaschi, A., 647
 Cassader, M., 967
 Cassatella, M.A., 925
 Catalán, R.E., 43
 Catheline, D., 569, 981
 Cattell, L., 1171
 Cavallini, G., 913
 Cazenave, J.-P., 285
 Chahinian, H., 653
 Chai, D., 1193
 Chanson, N.F., 573
 Chantegrel, B., 1013
 Chapkin, R.S., 193
 Chardigny, J.-M., 849, 1039
 Chedester, A.L., 839
 Chen, J.M., 991
 Chen, P., 991
 Chen, S.C., 33
 Chen, W.-J., 385
 Cherian, G., 751
 Chiang, B., 885

Chien, S., 885
 Cho, K.-H., 641
 Choi, M.-S., 641
 Chuang, L.-T., 733
 Chye, M.L., 997
 Clandinin, M.T., 159, 253
 Clément, L., 501
 Clevidence, B.A., 33, 123
 Cockell, K., 1125
 Cohen, Z., 209
 Collins, M.S., 1177
 Comeau, L.-C., 653
 Conquer, J.A., 947
 Constantinou-Kokotou, V., 223
 Corl, B.A., 681
 Cornwell, D.G., 173
 Coutts, G.A., 95
 Covas, M.-L., 245
 Croft, K.D., 455
 Cruz, H., 1033
 Cunningham, M., 673
 Cushion, M.T., 1177
 Cusinato, F., 53

D

Dahlwal, J.S., 557
 D'Andrea, S., 981
 Dang, K., 647
 Dasgupta, N., 133
 Datla, N., 863
 Davidson, L.A., 193
 Day, C.P., 69
 de Alaniz, M.J.T., 701
 Decrock, F., 407
 Decsi, T., 959
 de la Torre, R., 245
 del Cerro, A., 333
 Delgado, J., 43
 Delmonte, P., 681
 Demmelmaier, H., 953
 Demonty, I., 693
 DePierre, J.W., 139
 de Renobales, M., 333
 Deshaies, Y., 693
 Deshayes, C., 1013
 Destailats, F., 17, 111, 325, 435, 527
 Devaraj, S., 931
 Díaz, C., 445
 Díaz de Vivar, M.E., 597
 Di Stefano, R., 913
 Dmitrenok, A.S., 75
 Dolphin, P.J., 147
 Dorronsoro, M., 333

Doutheau, A., 1013
 Downing, J.A., 1067
 Drevo, C.A., 61, 797
 Duan, R.-D., 469
 Dubès, J.-P., 653
 Duchêne, S., 201
 Dumon, M.-F., 767
 Durand, G., 569
 Duval, S., 741

E

Ealey, K.N., 853
 Eckel, J.J., 173
 Eckel, T.T., 173
 Edner, M., 231
 Ehringer, W.D., 885
 Elabbadi, N., 69
 El-Sohemy, A., 853
 Emken, E.A., 741
 Endo, T., 783
 EPIC Group of Spain E., 333
 Erickson, K.L., 725
 Evans, G.F., 487
 Ewart, H.S., 147

F

Fan, Y.-Y., 193
 Farré, M., 245
 Férezou, J., 573
 Fernández, L., 43
 Fernández de Labastida, E., 333
 Ferreira, L., 167
 Fitó, M., 245
 Foglia, T.A., 1027
 Frost, G., 95
 Froyland, L., 935
 Fu, X., 997
 Fuenzalida, L.C., 367
 Furlaneto, C.J., 925
 Furukawa, Y., 633

G

Gachet, C., 285
 Gambino, R., 967
 Garcia, C.F., 673
 Garcia, F., 581
 García-Maroto, F., 417
 Garda, H., 673
 Garrido-Cárdenas, J.A., 417
 Gaultier, J.-M., 1019
 Gedde-Dahl, A., 61
 Geigerman, C., 789
 Gelderblom, W.C.A., 869
 Ghafoorunissa, 1077
 Gibbons, G.F., 1153, 1163
 Gibson, R.A., 839
 Gies, U., 153
 Gil, A., 975
 Gimenez, M.S., 291
 Gimeno, E., 245
 Giovane, A., 1047
 Girón, M.D., 273
 Giske, C., 797
 Gnädig, S., 1039
 Goeger, M.P., 751
 Gomez, N.N., 291
 Gong, H., 1193
 González, M.S., 375

González-Baró, M.R., 581, 673
 González-Roura, A., 401
 Gorbach, V.I., 75
 Gori, Z., 913
 Gorshkova, I.A., 75
 Goto, J., 101
 Gotoh, N., 621
 Graham, T.E., 947
 Graille, J., 817
 Green, J.H., 689
 Greiner, R.S., 367
 Grenyer, B.F.S., 1067
 Grigonis-Deane, E.M., 1067
 Grimari, J.M., 681
 Groscolas, R., 407
 Grossi, V., 541
 Gruber, P., 317
 Gudmundsen, O., 1019
 Guillou, H., 981
 Gulik, A., 573
 Gustafsson, I.-B., 1141
 Guyot, M., 1109
 Guzii, A.G., 75

H

Hachey, D.L., 217
 Hadders-Algra, M., 959
 Hagiwara, K., 783
 Hainer, V., 27
 Härmäläinen, T.J., 533
 Hamberg, M., 427
 Hansen, H.S., 237
 Harmsen, D., 317
 Harrington, T.A.M., 95
 Harris, C., 879
 Harris, W., 941
 Hase, T., 533
 Hasegawa, M., 267
 Hatanaka, E., 925
 Hayman, A., 689
 Heckel, F., 317
 Heimli, H., 797
 Henderson, C.E., 193
 Hernández, G., 445
 Hibbeln, J.R., 839
 Hichami, A., 773
 Hidirolou, N., 1125
 Hinman, J., 439
 Hirschler-Rea, A., 541
 Hishida, A., 359
 Hohl, R.J., 185
 Hollung, K., 797
 Holsonbake, T.B., 751
 Holub, B.J., 947
 Hong, H., 863
 Hong, M.Y., 193
 Hopia, A., 533
 Hovda, J.T., 495
 Howe, P.R.C., 1067
 Høy, C.-E., 329
 Hsu, F.-F., 501
 Huang, Y.-S., 733
 Hulthe, J., 1135

I

Ichihara, K., 523
 Igel, M., 153
 Iida, T., 101
 Iizuka, Y., 351
 Ikeda, I., 351

Ikeda, S., 351
 Ikegawa, S., 101
 Ioriya, K., 395
 Ishihara, K., 481
 Iwane, M., 123
 Iwata, T., 343

J

Jacques, H., 693
 Jan, S., 981
 Jankowska, I., 953
 Janneke Dijk-Brouwer, D.A., 959
 Jeffrey, B.G., 759, 839
 Jehan, P., 507
 Jialal, I., 931
 Jiang, Z., 173
 Jolly, C.A., 475
 Jones, K.H., 173
 Jørgensen, M.H., 237
 Joubert, B.M., 1171
 Judd, J.T., 33, 123

K

Kahan, T., 231
 Kallio, H., 81
 Kalra, S., 463
 Kamegai, T., 343
 Kannan, L., 475
 Kassir, N., 501
 Kato, K., 515
 Kauffman, R.F., 487
 Kaul, N., 931
 Keelan, M., 159
 Kelder, B., 733
 Kelley, D.S., 725
 Kelly, S.E., 147
 Kergoat, M., 501
 Kervarec, N., 507
 Kestemont, P., 297
 Khan, N.A., 773
 Khozin-Goldberg, I., 209
 Kim-Sohn, K.-A., 501
 Kimura, M., 359
 Kizito, S.A., 1197
 Knowles, N.R., 309
 Koba, K., 343
 Kohout, K., 1201
 Kojima, T., 261
 Koletzko, B., 953
 Komatsu, W., 481
 Kopchick, J.J., 733
 Kraffe, E., 507
 Kralovec, J., 147
 Kramer, J.K.G., 823
 Kramer, M., 33
 Krebsbach, R.J., 907
 Kris-Etherton, P., 123
 Ktorza, A., 501
 Kubow, S., 1125
 Kuksis, A., 81, 613
 Kulseth, M.A., 61
 Kumagai, H., 783
 Kunešová, M., 27

L

Laguna, J.C., 445
 Lamarche, B., 693
 Lardy, H., 1187

Latorre, E., 43
 Lau, M.M.L., 997
 Lau, S.S.G., 715
 Lauritzen, L., 237
 Lavialle, O., 17
 Laxmi, R., 1077
 LeClair, R.J., 1171
 le Morvan, V., 767
 Lee, J.-Y., 641
 Lee, Y.-S., 789
 Lee, Y.-T., 385
 Legrand, P., 569, 981
 Leonard, A.E., 733
 Leray, C., 285
 Lewis, C.J., 733
 Li, D., 901, 1113
 Liao, L.P., 991
 Lie Ken Jie, M.S.F., 997
 Lin, J.-T., 991
 Lin, W.-W., 385
 Lind, L., 1, 231, 1135, 1141
 Lindenthal, B., 153
 Liu, J.-J., 173, 469
 Liu, Q.-Y., 549
 Llanillo, M., 167
 Liebaria, A., 401
 Lo, S.-C., 385
 Lontie, J.-F., 573
 López-Sabater, M.C., 245
 Loreau, O., 1039
 Lu, D., 1197
 Lupton, J.R., 193
 Lyall, K., 917

M

Maccheroni, M., 913
 MacGibbon, A., 689
 MacKenzie, S.L., 863
 Mackey, B.E., 725
 Madani, S., 773
 Madere, R., 1125
 Maeba, R., 893
 Magnan, C., 501
 Magriotti, V., 223
 Mahmood, A., 463
 Mahmood, M.M., 557
 Mahmood, S., 463
 Maier, M.S., 597
 Makarieva, T.N., 75
 Mamo, J.C.L., 455
 Manier, M.L., 217
 Mann, N.J., 587
 Mano, N., 101
 Marchand, D., 541
 Marpeau, A.M., 17
 Marra, C.A., 273, 701
 Marriott, P.J., 715
 Marrugat, J., 245
 Martin, P., 981
 Martínez, J.I., 367
 Martini, I.A., 959
 Marty, Y., 507
 Marwah, A., 1187
 Marwah, P., 1187
 Masaoka, M., 267
 Masini, M., 913
 Masters, N., 133
 Matsuda, S.P.T., 1171
 Matsuyama, C., 783
 McGuire, M.A., 133
 McGuire, M.K., 133
 McKeon, T.A., 991

McMaster, C.R., 663
 Megias, A., 43
 Meijer, G.W., 33
 Merzouk, H., 773
 Meyer, M., 1109
 Michaelson, K.F., 237
 Mignault, D., 1093, 1101
 Milla, P., 1171
 Millgård, J., 231, 1135, 1141
 Mir, P.S., 605
 Mir, Z., 605
 Miró, E., 245
 Mitchell, D.C., 759, 839
 Miura, Y., 261
 Miyahara, M., 783
 Miyatani, S., 523
 Miyazawa, T., 1007
 Modi, N., 95
 Molnár, S., 959
 Mooney, B.D., 587
 Morán, M., 43
 Moreau, R.A., 1201
 Morehouse, K.M., 681
 Moriguchi, T., 759
 Moritz, W., 869
 Mosca, F., 913
 Moutairou, K., 773
 Mu, H., 329
 Muesing, R.A., 33, 123
 Mukerji, P., 733
 Murphy, K.J., 587
 Muskiet, F.A.J., 959

N

Naderi, S., 797
 Nagaoka, S., 267
 Nagpaul, J.P., 463
 Nakagawa, K., 1007
 Nakamori, R., 101
 Nambara, T., 101
 Narce, M., 561
 Ndong-Akoume, M.-Y., 1101
 Nelson, B.D., 139
 Nelson, G., 741
 Nes, W.D., 1151, 1177
 Nesaretnam, K., 557
 Nguyen, T.T.M., 1177
 Nichols, P.D., 587, 715
 Niki, E., 633
 Nilsson, Å., 469
 Nini, L., 653
 Nishimura, T., 395
 Nitschmann, E., 1059
 Noël, J.P., 1039
 Noro, H., 515
 Nuñez, A., 1027

O

Ogborn, M.R., 1059
 Ohashi, N., 395
 Ohtake, T., 359
 Ojeda, M.S., 291
 Oliara Bosso, S., 1171
 Ono, K., 1007
 Ownby, S.E., 185

P

Pack, R.J., 689

Pagano, G., 967
 Pailloot, J., 557
 Palos-Pinto, A., 767
 Parentini, L., 913
 Parish, E.J., 1151, 1197
 Pařízková, J., 27
 Park, Y., 941
 Park, Y.B., 641
 Partali, V., 633
 Pasquier, E., 17
 Paterson, L.J., 605
 Pawłowska, J., 953
 Pédrone, F., 17
 Pénicaud, L., 501
 Pérez-González, N., 167
 Peris, C., 445
 Perwaiz, S., 1093, 1101
 Peters, J.M., 495
 Phinney, S.D., 27
 Piazza, G.J., 1027
 Pina, M., 817
 Pineau, T., 981
 Plaa, G.L., 1101
 Poirier, J., 1125
 Poisson, J.-P., 561
 Pokorny, J., 783
 Polaina, J., 417
 Pollera, M., 913
 Pollero, R., 581, 673
 Precht, D., 627, 1149
 Prost, J., 773

Q

Qiu, X., 863
 Qiu, Z., 1197
 Quagliuolo, L., 1047

R

Radhakrishnan, A., 557
 Ramírez, M., 975
 Raneva, V., 633
 Ranheim, T., 61
 Razak, G., 557
 Reimann, K., 557
 Ria Tjoonk, H.M., 959
 Ribeiro, F.P., 925
 Richards, A., 647
 Rimoldi, O.J., 375, 701
 Rioux, V., 569, 981
 Rocco, F., 1171
 Rodríguez-Ruiz, J., 417
 Roehm, J.S., 173
 Roelfsema, H., 947
 Roglans, N., 445
 Rohdewald, P., 931
 Rojas, C.V., 367
 Rontani, J.-F., 541
 Rosenberger, T.A., 495
 Roulet, A., 981
 Ruii, G., 967
 Ruiz de Gordoa, J.C., 333
 Russell, J.C., 147
 Rustan, A.C., 61
 Rutherford, K., 689

S

Saborido, A., 43
 Saito, H., 481

Saito, K., 523
 Sakurai, H., 783
 Salem, Jr., N., 367, 759, 839
 Sánchez, R.M., 445
 Sánchez-Bernal, C., 167
 Sanders, L.M., 193
 Santalova, E.A., 75
 Sarabi, D.M., 231, 1135
 Sarabi, M., 1141
 Sarda, L., 653
 Sato, H., 1087
 Satoh, H., 783
 Savary, B.J., 1027
 Scanu, A.M., 439
 Schmid, H.H.O., 907
 Schmid, P.C., 907
 Schneider, C., 217
 Schönlaue, F., 931
 Schreier, P., 317
 Schwarz, A.K., 1087
 Sébédio, J.-L., 849, 1039
 Seldes, A.M., 597
 Selvaduray, K.R., 557
 Senanayake, S.P.J.N., 803
 Servillo, L., 1047
 Sesikeran, B., 1077
 Shahidi, F., 803
 Shibahara, A., 523
 Shimasaki, H., 633, 893
 Shimoyamada, M., 515
 Shin, S.J., 783
 Shinohara, K., 481
 Siegenthaler, P.-A., 201
 Simon, J.E., 111
 Simon, V.A., 725
 Sinclair, A.J., 587, 759, 901, 1113
 Singh, V., 1201
 Sjövall, O., 81
 Sliwka, H.-R., 633
 Smuts, C.M., 869
 Socha, J., 953
 Socha, P., 953
 Södergren, E., 1141
 Soudant, P., 507
 Souza, G.M., 925
 Speake, B.K., 407
 Steer, P., 231, 1135
 Steghens, J.P., 1013
 Stich, V., 27
 Stickrath, C.R., 173
 Stillwell, W., 885
 Stolarczyk, A., 953
 Stonik, V.A., 75
 Stunkard, A.J., 27
 Su, S., 885
 Su, S.S.-Y., 385
 Suárez, M.D., 273
 Sugano, M., 343
 Suh, M., 253
 Sun, H., 1197
 Sundberg, S., 533
 Svetashev, V.I., 75
 Swanevelde, S., 869

Świątkowska, E., 953
 Swift, L.L., 879

T

Tagiri-Endo, M., 1007
 Takagi, Y., 101
 Takemura, H., 359
 Tan, B.K.H., 549
 Tanaka, K., 343
 Tang, D., 1087
 Theriault, A., 647
 Thiesen, A., 159
 Thomas, E.L., 95
 Thomson, A.B.R., 159
 Tjburg, L.B.M., 1053
 Toda, T., 261
 Trick, K., 1125
 Triola, C.A., 173
 Triolo, G., 967
 Tsutsumi, K., 343
 Tuchweber, B., 1093
 Turk, J., 501
 Turner, A., 901
 Turner, N.D., 193
 Turon, F., 817
 Tvřická, E., 27

U

Uauy, R., 367
 Uchida, T., 621
 Uesugi, T., 261
 Ueta, N., 633, 893

V

Valen, M., 935
 Valyi-Nagy, K., 879
 van de Put, F.H.M.M., 1053
 Vani, A., 1077
 Vázquez, M., 445
 Vega-López, S., 931
 Veglia, F., 967
 Verd, J.C., 445
 Vessby, B., 231, 1135, 1141
 Vilches-Ferrón, M., 417
 Vine, D.F., 455
 Viola, F., 1171
 Virden, R., 69
 von Bergmann, K., 153

W

Wada, S., 621
 Waku, K., 523
 Wander, R.C., 789
 Wang, Q., 647
 Wang, T.-D., 385

Warren, J.M., 725
 Watanabe, K., 267
 Weil, K., 317
 Weiler, H.A., 1059
 Weisinger, H.S., 759
 Weisinger, R.S., 759
 Weselake, R.J., 605
 Western, R.J., 715
 Wierzbicki, A.A., 253
 Wild, G.E., 159
 Williams, J.R., 1151, 1193
 Wilson, R., 917
 Wiseman, S.A., 1053
 Wold, L.E., 907
 Wolff, R.L., 17, 111, 325, 627, 811, 1147, 1149
 Wright, D., 1193
 Wright, J.L.C., 147
 Wright, M.M., 663
 Wu, T., 789

X

Xie, Y., 139
 Xu, X., 297

Y

Yabuta, R., 101
 Yada, S., 101
 Yagasaki, K., 261
 Yamada, K., 343
 Yamaguchi, C., 523
 Yamaki, T., 783
 Yamamoto, K., 523
 Yamasaki, M., 343
 Yamashita, K., 351
 Yamauchi, R., 515
 Yang, Q., 139
 Yanishlieva, N., 633
 Yano, T., 783
 Yappert, M.C., 1087
 Yeaman, S.J., 69
 Yoshida, Y., 633
 Yotsu-Yamashita, M., 1007
 Yousef, I.M., 1093, 1101
 Yurawecz, M.P., 681
 Yusufu, Y., 893

Z

Zabrouskov, V., 309
 Zecevic, J., 947
 Zhang, Q., 267
 Zhao, W., 1193
 Zhou, J., 823
 Zhou, W., 1177
 Zuckerman, S.H., 487
 Žák, A., 27

Subject Index

trans-18:1

evaluation of two gas chromatography columns for analysis of milkfat with emphasis on, isomer, 823

A

Abies spp.

review of seed fatty acid composition of, 17

ABIETIDS

fatty acid compositions of seeds of, 17

ABSORPTION

intestinal, of caprylic acid from structured triacylglycerols mainly occurs by resynthesis of triacylglycerols, 329

ACETYLATION

of prostaglandin E₂ methyl ester in coral, *Plexaura homomalla*, 217

ACETYLCHOLINESTERASE

enzyme used in kinetic study with vinyl esters and triacylglycerols, 653

ACETYLENIC FATTY ACIDS

lipase-catalyzed hydrolysis of triacylglycerols containing, 997

ACTIVE TRANSPORT

net uptake of fatty acid occurs in cultured myoblastoma cells *via* system of, 273

ACUTE EFFECTS

study of, of fishmeals and fish oil supplements on milk levels of long-chain polyunsaturated fatty acids, 237

ACYL GLUCOSIDE

facile hydrolysis and transesterification of, 101

1-*O*-ACYL-D-GLUCOSIDE

benzyl ethers of bile acid, 101

ACYLCOENZYME A:CHOLESTEROL *O*-ACYLTRANSFERASE INHIBITOR

effects of, are to lower serum cholesterol and prevent atherosclerosis, 395

ACYL-COENZYME A-SYNTHETASE

activities of, in tissues from calcium-deficient rats, 701

N-ACYLETHANOLAMINE

anandamide and other, in human tumors, 907

N-ACYLPHOSPHATIDYLETHANOLAMINE

derivatized and analyzed by gas chromatography-mass spectrometry, 907

ADAPTATION

in lipid uptake may be due to alterations in lipid content of brush border membrane, 159

ADIPOSE TISSUE

characterization of atrophy of, induced by peroxisome proliferators in mice, 139

dietary conjugated linoleic acid caused significant lowering of, accumulation in rats and mice, 853

fast and reproducible method for the direct quantitation of, in newborn infants, 95

trans-alkenyl chains in plasmalogens of sheep heart have distribution profile similar to sheep, 811

α_2 ADRENOCEPTORS

pancreatic β -cell, and phospholipid changes in hyperlipidemic rats, 501

AGE

of spontaneously hypertensive rats and the antihypertensive effects of dietary unsaturated fatty acid mixture, 561

Agelas dispar

total synthesis of 2-methoxy-14-methylpentadecanoic acid and 2-methoxy-14-methylhexadecanoic acid identified in the sponge, 1033

AGING

changes in lipid molecular species and sterols of microsomal membranes during, of potato seed-tubers, 309

understanding of exchangeability of dolichol between tissues may be necessary to understand mechanism of abnormal accumulation associated with, 913

ALBUMIN

stimulates lysophosphatidic acid acyltransferase activity in T-lymphocyte membranes, 475

ALBUMIN COMPLEXES

fatty acid maintained in nonaggregated form by means of fatty acid-, 273

ALKALINE PHOSPHATASE

surfactant-like particles differ in levels of activity of, 463

ALLENE OXIDE

hydroperoxide dehydrase catalyzes conversion of 13- or 9-hydroperoxide of linoleic or linolenic acids to, 541

Allostichaster inaequalis

glucosylceramides from gonads and body walls of Patagonian startfish, 597

ALUMINA

temperature-enhanced, high-performance liquid chromatography separation of nonpolar lipids, 1201

ALUSPHER

standards of hydrocarbon, wax ester, and sterol ester separated using, column, 1201

AMINO ALDEHYDES

in bacterium *Stenotrophomonas maltophilia*, 317

α -AMINO OLEIC ACID

selective (*R*)-3-hydroxylation of fatty acids by bacterium, 317

ANANDAMIDE

and other *N*-acylethanolamines in human tumors, 907

ANGIOGENESIS

essential in reproduction, development, and wound repair, 1047

ANNEXIN V

apoptosis assessed by three methods including, binding assay, 789

ANTHRYLIDIAZOMETHANE

free fatty acids determined by high-performance liquid chromatography using fluorescence detector after derivatization with, 1047

ANTIOXIDANT

action of, of selenium compounds, 633

animal feeding trial investigates whether olive oil phenolics can act as functional, *in vivo*, 1053

in natural membranes α -tocopherol is considered major lipid-soluble, 285

oxidation products of vitamin E might be useful markers for, and prooxidant reactions in biological samples, 515

Pycnogenol®, extract of French maritime pine bark, is potent, with potential health benefits, 931

APOLIPOPROTEIN(S)

lipoprotein and, changes in renal transplant recipients, 967

platelet-poor plasma used for analysis of, 1077

serve as cofactors for lipases and ligands for receptors, 455

APOLIPOPROTEIN A-I

and apolipoprotein A-II downregulate neutrophil functions, 925

concentrations of, determined by rate nephelometry, 123

APOLIPOPROTEIN A-II

apolipoprotein A-I and, downregulate neutrophil functions, 925

APOLIPOPROTEIN B

concentrations of, determined by rate nephelometry, 123

endothelial vasodilatory function predicted by circulating, and high density lipoprotein in healthy humans, 1135

intestinal secretion of, inhibited by flavonoid quercetin, 647

lipoprotein assembly initiated in rough endoplasmic reticulum with synthesis of, 879

more, found in modified-lipid emulsion particles from fish oil than soybean oil emulsion, 573

APOLIPOPROTEIN E

macrophage activation and atherosclerosis inhibited in knockout mice, 487

APOPTOSIS

eicosapentaenoic acid-induced, in Ramos cells, 797

eicosapentaenoic and docosahexaenoic acids induce compositional changes in colonic mitochondrial membrane phospholipids facilitating, 193

γ -tocopheryl quinone stimulates, in drug-sensitive and multidrug-resistant cancer cells, 173

in hypercholesterolemia, 385

reduced effect of eicosapentaenoic acid and docosahexaenoic acid on low-density lipoprotein-induced, 789

ARACHIDONIC ACID

biosynthesis of, in oleaginous microalga *Parietochloris incisa*, 209

levels of, in breast-milk of Danish mothers not affected by dietary fish or fish oil supplements, 237

trans isomeric octadecenoic acids relate inversely to, and docosahexaenoic acid and positively to Mead acid in umbilical vessel wall lipids, 959

ARYLATING ELECTROPHILE

γ -tocopheryl quinone is highly cytotoxic, that stimulates apoptosis in several cancer cell lines, 173

ATHEROSCLEROSIS

inhibited in apolipoprotein E knockout mice, 487

oxidation of low density lipoproteins believed to be important factor in onset of pathogenesis of, 1053

ATHYMIC NUDE MICE

effect of palm carotene supplementation on tumorigenicity of MCF-7 human breast cancer cells injected into, 557

ATORVASTATIN

effect of high doses of, on very low density lipoprotein production, 445

AUTOXIDATION

stereochemistry of hydroperoxides formed during, of conjugated linoleic acid methyl ester in the presence of α -tocopherol, 533

2,2'-AZOBIS(2-AMIDINOPROPANE) DI HCl

peroxidation of human platelet phospholipids induced by addition of, 285

B**BASIL SEED OIL**

regiospecific analysis of petroselinic acid, oleic acid and *cis*-vaccenic acid in, 111

BILAYER

oxidizability of glycerophospholipids in, 893

BILE ACID(S)

biliary concentrations of cholesterol and, increased by SMP-500, 395

determination of fecal, 1093

feeding ovomucin to rats significantly increased fecal excretion of,

compared with feeding casein, 267

potential metabolites of, 101

BIOCHEMICAL COORDINATION

phenomenon which involves mutually conditioned presence of two different series of secondary metabolites in living organisms, 75

BIOFLAVONOID

reduction by, of hepatic lipid and apolipoprotein B secretion, 647

BIOSYNTHESIS

molecular species of phosphatidylcholine and phosphatidylethanolamine formed during castor oil, 991

BIOTRANSFORMATION OF FATTY ACIDS

assessments of total arterial, 231

BIPHASIC

lipid extraction procedures employ, solvent mixtures to dissolve lipids, 1087

BLENDED OILS

effects of dietary α -linolenic acid from, on biochemical indices of coronary heart disease in Indians, 1077

BLOOD FLOW

relationships between proportion of fatty acids in serum cholesterol esters and vascular reactivity using measurements of forearm, 1141

Lipids, Vol. 37, no. 12 (2002)

BLOOD GLYCEROLIPIDS

convenient method developed for preparation of fatty acid methyl esters from, 523

BLOOD LIPIDS

fatty acid composition of, 561

BLOOD LIPIDS AND LIPOPROTEINS

changes in, due to addition of plant sterol esters to controlled diet, 33

BODY BUILDER

no effect found of conjugated linoleic acid mixture on liver enzyme transferases in novice, supplemented with two-isomer preparation, 1019

BODY COMPOSITION

of newborn infants, 95

reported effects of two-isomer preparations of conjugated linoleic acid is influence on, 1019

BODY FAT

effect of dietary conjugated linolenic acid on, 343

synthetic conjugated linoleic acid reduced, in growing male mice, 689

BODY FAT MASS

decreased concomitantly with increase in or maintenance of lean body mass, 1019

BODY WEIGHT

effect of dietary conjugated linoleic acid on, in mice, 689

BOVINE MILK FATS

reassessment of contribution of, to *trans*-18:1 isomeric acid consumption by European populations, 1149

BRAIN

gender differences in the peroxisomal proliferator-activated receptor β -null mouse, 495

Brassica juncea

introduction of a complementary DNA into, results in accumulation of several $\Delta 5$ -unsaturated polymethylene-interrupted fatty acids, 863

BREASTMILK

variations in long-chain polyunsaturated fatty acid levels in, related to fish intake, 237

BUDESONIDE

effect of, on intestinal absorptive function in weanling rats, 159

C**C₁₈ COLUMNS**

direct extraction of bile acids from feces by refluxing samples in alkaline ethanol followed by purification with, 1093

Caco-2 CELLS

effects in human intestinal cell-line, of quercetin on triacylglycerol and apolipoprotein B secretion, 647

egg ovomucin attenuates hypercholesterolemia in rats and inhibits cholesterol absorption in, 267

stably transfected with intestinal fatty acid-binding protein, 61

CALCIUM DEFICIENCY

correlation between fatty acyl composition in neutral and polar lipids and enzyme activities from various tissues of rats with, 701

CAMPESTEROL

plant sterol not synthesized in mammalian cells, 153

CARBOXYL ESTER HYDROLASES

comparisons of the kinetic behavior of, 653

CARBOXYL-LINKED GLUCOSIDE

efficient synthesis of, of bile acids, 101

CARDIOVASCULAR DISEASE RISK FACTORS

impact of *trans* monounsaturated fatty acids vs. saturated fatty acids on, 123

CAROTENOIDS AND FAT-SOLUBLE VITAMINS

effects on, due to addition of plant sterol esters to controlled diet, 33

CAROTID ARTERY

important cardiovascular characteristics independently predicted by indices of, 231

CARTILAGE

correlation between fatty acyl composition in neutral and polar lipids and enzyme activities from, of calcium-deficient rats, 701

- CASPASE**
eicosapentaenoic acid promotes apoptosis in Ramos cells *via* activation of, 797
- CASPASE-3**
oxidized low-density lipoprotein-induced cell apoptosis detected by activation of, 789
- CASTOR OIL**
molecular species of phosphatidylcholine and phosphatidylethanolamine formed during, biosynthesis, 991
- Cedrus* spp.
review of seed fatty acid composition of, 17
- CELERY SEED OIL**
base-catalyzed derivatization methodology for fatty acid analysis of, 527
- CELL CYCLE**
analysis of, distribution after incubation with eicosapentaenoic acid, 797
- CELL MORPHOLOGY**
effects of lovastatin, farnesol, and geranylgeraniol on, 185
- CELL PROLIFERATION**
proliferating cell nuclear antigen is marker of, in high linoleic acid oil-fed mice, 783
- CEREAL-BASED DIETS**
improvement in n-3 polyunsaturated fatty acid nutritional status in, through supplemented cooking oils may contribute to prevention of coronary heart disease in Indians, 1077
- CERULEIN**
rats received subcutaneous injections of, 167
- CHEMILUMINESCENCE**
novel ethoxyhydroperoxide analyzed by, using high-performance liquid chromatography with on-line electrospray mass spectrometry, 1007
- CHEMOTAXONOMY**
of Pinaceae, 17
- Chlorella*
purification of lipoxygenase from, 1027
- 2-CHLORO-1,3,5-TRINITROBENZENE**
coupling agent in procedure for the esterification of bile acids, 101
- CHOLESTASIS**
long-chain polyunsaturated fatty acid supplementation improves polyunsaturated fatty acid profile in infants with, 953
- CHOLESTEROL**
effect of levels of, on endothelium-dependent vasodilation, 1
exercise program-induced decrease in levels of aortic, in sedentary animals, 43
fumonisin B₁ decreased levels of total, in rat liver, 869
in vitro effects of, on sphingomyelin hydrolysis induced by rat intestinal alkaline sphingomyelinase, 469
increased cardiomyocyte apoptosis following ischemia and reperfusion studied in normal and, -fed rabbits, 385
origins of, research can be traced back to pre-revolutionary France, 1153
metabolism and endothelial vasodilatory function, 1135
- CHOLESTEROL ABSORPTION**
egg ovomucin inhibits, in Caco-2 cells, 267
- CHOLESTEROL DIET**
relative abundance of stearoyl-CoA desaturase-1 mRNA in liver of rats fed, 375
- CHOLESTEROL EFFLUX**
effect of cholesteryl-3 β -phosphoserine on, 53
- CHOLESTEROL ESTERS**
fatty acid content of, 375
- CHOLESTEROL α -HYDROXYLASE**
simultaneous evaluation of 3-hydroxy-3-methylglutaryl-CoA reductase and, activities by electrospray tandem mass spectrometry, 1101
- CHOLESTEROL SYNTHESIS**
roles of farnesol and geranylgeraniol in, 185
steroids inhibit endogenous, 53
- CHOLESTEROL TRANSPORT**
selective effect of cholesterylphosphoserine on intracellular, 53
- CHOLESTERYL ESTER**
oxidative susceptibility of low-density lipoprotein determined by measuring the accumulation of hydroperoxides of, 789
peroxyl radicals derived from hydroperoxides of, 515
- CHOLESTERYL ESTER TRANSFER PROTEIN**
binding characteristics of, inhibitory peptide, 641
- CHOLESTERYLPHOSPHOSERINE**
selective effect of, on intracellular cholesterol transport, 53
- CHOLEST-4,6-DIEN-3-ONE**
new chemical syntheses of, 1197
- Chondrilla nucula*
5,9,23-triacontatrienoic methyl ester is an elastase inhibitor from marine sponge, 1109
- CHYLOMICRON(S)**
effect of dietary cholesterol oxidation products on the plasma clearance of, in the rat, 455
study showed evidence that dietary phospholipids affect size of, 975
- CLUPADONIC ACID**
data suggest that, may play role in structural function of platelet membrane, 901
- COD LIVER OIL**
comparison between, and soybean oil, 359
- COLLAGEN**
mean platelet volume and platelet count measured in basal state and after *ex vivo* stimulation with, cold and heat, 941
- COLON**
eicosapentaenoic and docosahexaenoic acids protect against tumor development in, in part by increasing apoptosis, 193
- COLON CANCER**
analysis of fecal bile acids of interest because several studies claim role for bile acids in, 1093
- COMPETITION STUDIES**
results from, agree with hypothesis of specific transport system operating in fatty acid uptake, 273
- COMPLIANCE**
cardiac and vascular structure and function are related to, and metabolism, 231
- COMPREHENSIVE 2-DIMENSIONAL GAS CHROMATOGRAPHY**
positional and geometric isomer separation of fatty acid methyl esters, 715
- CONES**
assessment of function of rods and, 839
- CONIFEROPHYTINA**
family Pinaceae, 17
- CONJUGATED DIENES**
oxidative susceptibility of low-density lipoprotein determined by measuring the formation of, 789
- CONJUGATED LINOLEIC ACID**
and hepatic lipodosis, 751
clinical trial results support a preference for using, preparations enriched with two isomers rather than four isomers in human studies, 1019
dietary conjugated linolenic acid in relation to, differently modifies body fat mass and serum and liver lipid levels in rats, 343
effects of dietary, on the expression of uncoupling proteins in mice and rats, 853
evaluation of two gas chromatography columns for analysis of milkfat with emphasis on, 823
evidence for [1,5] sigmatropic rearrangements of, in heated oils, 435
high levels of, impair weight gain in growing mice, 689
maternal supplementation with, decreases milk fat in humans, 133
metabolism in women, 741
nutritional studies on, have reported occurrence of conjugated long-chain polyunsaturated fatty acids after feeding with ruminic acid, 1039
source of *trans*-7,*cis*-9, in dairy cows, 681
stereochemistry of hydroperoxides formed during autooxidation of, methyl ester in the presence of α -tocopherol, 533

CONJUGATED LINOLENIC ACID

in relation to conjugated linoleic acid differently modifies body fat mass and serum and liver lipid levels in rats, 343

CONVERSION

of specific fatty acids to their desaturated, elongated and chain-shortened metabolites, 741

CORAL

prostaglandins in Caribbean sea whip, *Plexaura homomalla*, 217

CORD VESSEL LIPID

fatty acid compositional data of, 959

CORIANDER SEED OIL

regiospecific analysis of petroselinic acid, oleic acid, and *cis*-vaccenic acid in, 111

CORN OIL

formation of triacylglycerol core aldehydes during rapid oxidation of, 81

CORRELATION

investigation of, between platelet phospholipid polyunsaturated fatty acid composition and mean platelet volume, 901

COWS

source of *trans*-7,*cis*-9 conjugated linoleic acid in dairy, 681

CP SIL 88

evaluation of, for analysis of milkfat, 823

CRYOGENIC MODULATION

process used for positional and geometric isomer separation of fatty acid methyl esters, 715

CTP:PHOSPHOCHOLINE CYTIDYLYLTRANSFERASE

activity of, raised by administration of simvastatin, 445
increased enzyme activity of, in endoplasmic reticulum membranes in lung of rats fed zinc-deficiency diet, 291
synthesis of, achieved through Wittig reaction on suitable glutamate semi-aldehyde, 223

CUTINASE

fungal enzyme displaying functional properties between esterases and lipases, 653

CYANOPROPYL CARTRIDGE

mevalonolactone and 7 α -hydroxycholesterol analyzed following extraction and purification using, 1101

CYCLOARTENOL SYNTHASE

from *Arabidopsis thaliana* and lanosterol synthase from *Trypanosoma cruzi* and *Pneumocystis carinii* expressed in yeast and subcellular distribution in the expressing cells compared, 1171

CYCLODEXTRIN

used to extract plasma membrane cholesterol, 53

CYCLOOXYGENASE

prostaglandins formed *via*, pathway, 217

CYP 51

chronic exposure of liver to ketoconazole induces, activity, 1163

CYTOCHROME C

γ -tocopheryl quinone released mitochondrial, to the cytosol, 173

CYTOKINES

effect of apolipoproteins A-I and A-II on basal liberation of, 925

CYTOTOXICITY

of γ -tocopheryl quinone exceeded doxorubicin, 173

D

DEHYDROEPIANDROSTERONE

transformations of, and its metabolites by rat liver, 1187

DEMOSPONGIC ACIDS

found mainly as structural components of sponge membrane phospholipids, 75

DEODORIZED VEGETABLE OILS

contain α -linolenic acid geometrical isomers, 1147

DEOXYCHOLIC ACID

study shows lyophilized human feces contain lithocholic acid and, as major bile acids, 1093

DESATURASE(S)

effect of fenofibrate on hepatic, in peroxisome proliferator-activated receptor α -deficient mice, 981

trans-7,*cis*-9 conjugated linoleic acid synthesized endogenously by Δ^9 -, in dairy cows, 681

 $\Delta 5$ DESATURASE

from *Pythium irregulare*, 863

 $\Delta 6$ DESATURASE

lipids and, activity alterations in rat liver microsomal membranes induced by fumonisin B₁, 869

cloning and molecular characterization of, 417

 $\Delta 9$ -DESATURASE

in cultured rat hepatocytes, 569

 $\Delta 6$ AND $\Delta 9$ DESATURASE mRNA

effect of dietary cholesterol on the modulation of, 375

DESATURATION

in tissues of Eurasian perch, 297

in vitro, and elongation of rumenic acid by rat liver microsomes, 1039

DEUTERIUM

dietary conjugated linoleic acid supplementation had no effect on, -labeled fatty acids, 741

DEUTERIUM LABELING

and gas chromatography-mass spectrometry analyses enabled demonstration that subsequent enzymatic conversion of allylic hydroperoxide involved reduction, cleavage, isomerization, and saturation reactions, 541

DIABETES

conjugated linoleic acid isomer t10,c12 claimed to positively modulate body composition and, in mice, 1019

lipoproteins in offspring of rats with, 773

DIACYLGLYCEROL

human, kinase inhibitor R59949 inhibits choline/ethanolamine phosphotransferase 1 activity, 663

phosphatidylcholine-specific phospholipase C hydrolyzes phosphatidylcholine into phosphorylcholine and, 401

DIACYLGLYCEROL ACYLTRANSFERASE

potential role of microsomal triglyceride transfer protein and, in inhibition of intestinal apolipoprotein B secretion by flavonoid quercetin, 647

4,6-DIAMIDINO-2-PHENYLINDOLE

apoptosis assessed by three methods including microscopic visualization of condensed chromatin and nuclear fragmentation after staining cells with, 789

DIAPHRAGM

positional distribution of conjugated linoleic acid in triacylglycerol fractions from lamb, 605

DIENONE

development of new methods of chemical synthesis of steroidal, cholest-4,6-dien-3-one, 1197

DIET

effects on blood lipids, due to addition of plant sterol esters to controlled diet, 33

effects on plasma carotenoids, due to addition of plant sterol esters to controlled diet, 33

supplemented with sunflower oil or conjugated linoleic acid, 741

DIETARY FAT(S)

affect composition of surfactant-like particles, 463

interaction between dietary protein and, in triglyceride metabolism in the rat, 693

DIETARY FATTY ACIDS

effects of, at the level of gene expression, 367

levels of, prior to enrichment diet, 123

DIETARY LIPIDS

effect of, on lipid metabolism and fatty acid composition in tissues of Eurasian perch, 297

effects of, on daunomycin-induced nephropathy in mice, 359

DIETARY n-3 FATTY ACIDS

modulate long and very long chain fatty acid content, rhodopsin content,

- and rhodopsin phosphorylation in rat rod outer segment after light exposure, 253
- DIETARY PROTEIN**
interaction between, and fat in triglyceride metabolism in the rat, 693
- 3 β -[2-(DIETHYLAMINO)ETHOXY]ANDROST-5-EN-17-ONE
as inhibitor of intracellular cholesterol transport, 53
- DIHOMO- γ -LINOLENIC ACID**
data suggest that, may play role in structural function of platelet membrane, 901
- 1,4-DIHYDROXYNONANE MERCAPTURIC ACID
synthesis of 9,9,9-trideutero-1,4-dihydroxynonane mercapturic acid useful internal standard for, urinalysis, 1013
- DIURNAL VARIATIONS**
in levels of n-3 long-chain polyunsaturated fatty acids in breast-milk, 237
- DIVINYL ETHER SYNTHASE**
new, present in *Ranunculus lingua* and *R. peltatus* distinct from those previously encountered in higher plants and algae, 427
- DOCOSAHEXAENOIC ACID**
alters colonocyte mitochondrial membrane composition and function, 193
does not decrease mean platelet volume in normal subjects, 941
effect of dietary fish or fish oil supplements on levels of, in breast-milk of Danish mothers, 237
effect of exercise on fatty acid profiles in, and eicosapentaenoic acid-supplemented and -nonsupplemented premenopausal women, 947
enrichment of meat and eggs with, 1067
fish high in, and highly susceptible to oxidation, 333
isolated polar lipid fraction from marine bivalves found to contain very high level of, 507
levels of, and photoreceptor sensitivity loss in n-3 deficiency, 759
location of, in metabolic pathway of long-chain polyunsaturated fatty acids, 733
stereospecific analysis to establish positional distribution of fatty acid in the triacylglycerols of, 803
supplementation of human infant diet with, may benefit visual development, 839
three generations of rats fed diets to reduce levels of, in tissues, 367
trans isomeric octadecenoic acids relate inversely to arachidonic acid and, and positively to Mead acid in umbilical vessel wall lipids, 959
- DOLICHOL ACCUMULATION**
associated with aging, 913
- DOXORUBICIN**
dietary fish oil and vitamin E enhance effects of, in P388 tumor-bearing mice, 549
- DYSLIPIDEMIA**
renal transplantation modifies the characteristic, of chronic renal failure, 967
- E**
- ECHINODERMATA**
Patagonian starfish *Allostichaster inaequalis* in phylum, 597
- EGG(S)**
effect analyzed of dietary conjugated linoleic acid on quality, production performance, tissue fatty acids, and hepatic histopathology of, 751
enrichment of meat and, with docosahexaenoic acid, 1067
ovomucin from, of White Leghorn hens attenuates hypercholesterolemia in rats and inhibits cholesterol absorption in Caco-2 cells, 267
- EGG WHITE PROTEIN**
effect of, on serum cholesterol level in rats and humans, 267
- EICOSAPENTAENOIC ACID**
alters colonocyte mitochondrial membrane composition and function, 193
decreases mean platelet volume in normal subjects, 941
effect of dietary fish or fish oil supplements on levels of, in breastmilk of Danish mothers, 237
effect of exercise on fatty acid profiles in docosahexaenoic acid and, supplemented and nonsupplemented premenopausal women, 947
fish high in, and highly susceptible to oxidation, 333
location of, in metabolic pathway of long-chain polyunsaturated fatty acids, 733
promotes apoptosis in Ramos cells via activation of caspase-3 and -9, 797
stereospecific analysis to establish positional distribution of fatty acid in the triacylglycerols of, 803
- EICOSAPENTAENOIC ACID/DOCOSAHEXAENOIC ACID**
reduced effect of, on low-density lipoprotein-induced apoptosis, 789
- ELAIDIC ACID**
relates inversely to arachidonic acid and docosahexaenoic acid and positively to Mead acid in umbilical vessel wall lipids, 959
- ELASTASE INHIBITOR**
5,9,23-triacontatrienoic methyl ester as, from marine sponge *Chondrilla nucula*, 1109
- ELECTROCHEMICAL DETECTION**
analysis of vitamin E and its oxidation products by high-performance liquid chromatography with, 515
- ELECTRON MICROSCOPY**
formation of complexes visualized by freeze-fracture, 573
- ELECTRORETINOGRAM**
amplitudes and implicit times recorded over wide intensity range and assessed in terms of intensity response functions, 839
assessment using, employed full-field white flash stimulation, 759
- ELECTROSPRAY IONIZATION MASS SPECTROMETRY**
used in identification of lipid ester core aldehydes formed during rapid oxidation of triacylglycerols of corn and sunflower oils, 81
used to analyze detailed chemical structure of polar lipid fraction from marine bivalves, 507
- ELECTROSPRAY TANDEM MASS SPECTROMETRY**
both free and conjugated bile acids analyzed by gas chromatography-mass spectrometry and, 1093
simultaneous evaluation of 3-hydroxy-3-methylglutaryl-CoA reductase and cholesterol 7 α -hydroxylase activities by, 1101
- ELONGATION**
in vitro desaturation and, of rumenic acid by rat liver microsomes, 1039
mammalian long-chain polyunsaturated fatty acid, enzymes, 733
- EMBRYONIC DEVELOPMENT**
fatty acid composition of heart and skeletal muscle of king penguin during, 407
- EMULSION**
comparisons of kinetic behavior of carboxyl ester hydrolases in solution and vinyl esters as, 653
- ENDOPLASMIC RETICULUM**
assembly of lipoproteins by liver is not completed in the rough, 879
- ENDOTHELIUM**
oxidized low density lipoprotein promotes atherosclerosis by impairing, -dependent vasodilation, 1135
review of lipids and vasodilation dependent on, 1
- ENERGY BALANCE**
effect of dietary conjugated linoleic acid on, in mice, 689
- ENZYME INHIBITION**
fatty acids and their derivatives show detergent effects at high concentrations and can lead to, 69
- ENZYME INHIBITOR**
effect of potassium xanthate D609 as, 401
- EPOXY ALDEHYDES**
used in identification of lipid ester core aldehydes formed during rapid oxidation of triacylglycerols of corn and sunflower oils, 81
- EPOXY FATTY ACIDS**
simultaneous determination by gas chromatography-mass spectrometry of, and hydroxy fatty acids as their methoxy derivatives, 917
- ERYTHROCYTE GHOSTS**
correlation between fatty acyl composition in neutral and polar lipids and enzyme activities from, of calcium-deficient rats, 701
- ETHANOLAMINE PLASMALOGENS**
exercise program-induced large, significant increase in levels of aortic, 43

11(Z)-ETHEROLENIC ACID

conversion of 13-hydroperoxides into 11(Z)-etheroleic and, by divinyl ether synthase in *Ranunculus lingua* and *R. palustris*, 427

ETHOXYHYDROPEROXIDE

separation and identification of a novel, from ozonation of phosphatidylcholine in ethanol, 1007

EURASIAN PERCH

lipids metabolism and fatty acid composition in tissues of, 297

EXERCISE

effect of, on fatty acid profiles in n-3 fatty acid-supplemented and -nonsupplemented premenopausal women, 947

EXTRACELLULAR SIGNAL-REGULATED KINASE

high oleic acid oil suppresses lung tumorigenesis in mice through the modulation of, cascade, 783

EXTRACTION

data comparison of analysis of fecal bile acids difficult because of marked differences in, procedures, 1093

human lens lipid, and purification, 1087

EXTRA VIRGIN OLIVE OIL

phenolics from, protect low density lipoprotein and spare vitamin E in the hamster, 1053

F**FARNESOL**

prevention and reversion of lovastatin-induced effects, 185

FAT DEPOSITION

biological activities of conjugated linoleic acid more related to, than through effects on phospholipid alteration, 605

FAT MASS

calculation of, in newborn infants, 95

trans FATTY ACID

maternal, intake is inversely associated with long-chain polyunsaturated fatty acid status of the infant at birth, 959

FATTY ACID(S)

analysis of, by gas chromatography, 111

analysis of, contained in animal fats and vegetable and other oils, 715
composition of, in virgin olive oil determined by gas chromatography, 245

divergent effects of different, on endothelium, 1

effect of fenofibrate on hepatic desaturases in wild-type and peroxisome proliferator-activated receptor α -deficient mice liver, profile, 981

effects of n-3, and exercise on nonesterified fatty acids, 947

forty different, identified in Caribbean sponge *Agelas dispar*, 1033

from Far Eastern sponge *Geodinaella robusta*, 75

from the uncommon Caribbean sponge, *Spheciospongia cuspidifera*, 305
gender differences in mouse brain levels of phospholipids and esterified, 495

higher proportions of n-3, in the Tasmanian blue mussel compared with the New Zealand green-lipped mussel, 587

identification of molecular species of phosphatidylcholine and phosphatidylethanolamine isolated from castor microsomes after incubations with [14 C], 991

increase liver uptake of high density lipoprotein-cholesterol in mice, 767
in vitro effects of fat, cholesterol and, on sphingomyelin hydrolysis induced by rat intestinal alkaline sphingomyelinase, 469

investigation as to whether relationship exists between composition of, in serum lipids and vascular reactivity, 1141

levels of, determined in pancreatic tissue of rats treated with cerulein and control rats, 167

metabolism of, in intestinal fatty acid-binding protein-transfected cells, 61
mixture of n-3 and n-6, slowed development of hypertension in the young and decreased hypertension in adult and aged spontaneously hypertensive rats, 561

photoreceptor sensitivity loss in deficiency of, 759

tissue-specific dietary effects and possible age-related effects on mode of, incorporation into triacylglycerol, 605

visual acuity and retinal function in infant monkeys fed long-chain polyunsaturated, 839

FATTY ACID n-BUTYL ESTER

methodology for synthesis of, by base-catalyzed transesterification of glycerides, 527

FATTY ACID COMPOSITION(S)

assessment of dietary and genetic factors influencing serum and adipose, in obese female identical twins, 27

method useful for analysis of, of glycerolipids in blood and breast milk, 523

of genera *Abies*, *Cedrus*, *Hesperopeuce*, *Keteleeria*, *Pseudolarix*, and *Tsuga*, 17

of heart and skeletal muscle during embryonic development of the king penguin, 407

of total liver lipids, 375

FATTY ACID DEFICIENCY

peroxisome proliferator-activated receptors α and β mRNA in n-3, 367
photoreceptor sensitivity loss in n-3, 759

FATTY ACID DESATURASES

key enzymes in fatty acid metabolism, 701

FATTY ACID ELONGATION

in tissues of Eurasian perch, 297

FATTY ACID ENRICHMENT

tuna fishmeal as a source of docosahexaenoic acid for n-3, of pork, chicken and eggs, 1067

FATTY ACID ETHYL ESTER

methodology for synthesis of, by base-catalyzed transesterification of glycerides, 527

FATTY ACID METABOLISM

disruptions of, at different levels suggested to be key events in cytotoxicity of fumonisins to hepatocytes, 869

FATTY ACID 2-METHOXYETHYL ESTER

methodology for synthesis of, by base-catalyzed transesterification of glycerides, 527

FATTY ACID METHYL ESTER(S)

convenient method developed for preparation of, 523
fractionation of, 435

FATTY ACID n-PROPYL ESTER

methodology for synthesis of, by base-catalyzed transesterification of glycerides, 527

FATTY ACID UPTAKE

evidence in favor of a facilitated transport system for, in cultured L6 cells, 273

FATTY ALCOHOL

preliminary steps of ether phospholipid biosynthesis occur in peroxisome and involve formation of, 495

FATTY LIVER

elevated levels of phosphatidic acid phosphohydrolase 1 associated with alcoholic, 69

FECES

rapid and improved method for determination of bile acid in human, using mass spectrometry, 1093

FENOFIBRATE

effect of, on hepatic desaturases in peroxisome proliferator-activated receptor α -deficient mice, 981

FIBROSIS

characteristic of polycystic kidney disease, 1059

FISH DIET

habitual, associated with decreased low density lipid susceptibility to *ex vivo* oxidation, 333

FISH OIL

and vitamin E enhance doxorubicin effects in P388 tumor-bearing mice, 549

effect of dietary fish or supplements of, on levels of long-chain polyunsaturated fatty acids in breast-milk of Danish mothers, 237

effect of exercise on fatty acid profiles in, supplemented and nonsupplemented premenopausal women, 947

- effects of vitamin E and selenium intake on oxidative stress and plasma lipids in hamsters fed, 1125
- long-chain n-3 polyunsaturated fatty acids in, have modulating effects on inflammatory responses, 935
- supplementation with, and reduced effect of eicosapentaenoic acid/docosahexaenoic acid on low-density lipoprotein-induced apoptosis, 789
- FISHMEAL**
- tuna, as a source of docosahexaenoic acid for n-3 fatty acid enrichment of pork, chicken and eggs, 1067
- FLAVONOID**
- inverse association with, intake and coronary artery disease risk and mortality, 931
- FLAX OIL**
- dietary, in rat polycystic kidney disease, 1059
- FLUORESCENCE**
- low-temperature, spectra of thylakoids, 201
- FLUORESCENCE ANISOTROPY**
- measured in lipoproteins exposed to different concentrations of fenitrothion, 673
- used in the measurement of various tissues from calcium-deficient rats, 701
- FOOD COMPOSITION**
- in free-living conditions for obese female identical twins, 27
- FOODS**
- critique of 50-m CP-Sil 88 capillary columns used alone to assess *trans*-unsaturated fatty acids in, 627
- FREE FATTY ACIDS**
- associated with risk for cardiovascular disease, 947
- release of, from membrane phospholipids observed after incubation of umbilical cord vein-derived endothelial cells with vascular endothelial growth factor, 1047
- FREE RADICAL(S)**
- behave as stimulators of platelet aggregation, 285
- damage of cellular components by, believed to lead to development of disease, 917
- kinetic data indicate high efficiency of, production, 893
- plasma peroxidized by addition of initiator of, 515
- FREE RADICAL CHAIN REACTION**
- feasible mechanism for autoxidation reaction is autocatalytic, 533
- FRUCTOSE-1,6-BIPHOSPHATE**
- destabilizes membrane bilayers, 885
- FRYING OILS**
- relative conjugated linoleic acid isomer distribution identical for methyl linoleate, sesame seed oil, safflower seed oil, peanut oil, and similar for, 435
- FUMONISINS**
- disruptions of lipid metabolism at different levels suggested to be key events in cytotoxicity of, to hepatocytes, 869
- FUSED-SILICA CAPILLARY COLUMNS**
- used for analyses of milkfats, 823
- G**
- GAS CHROMATOGRAPHY**
- analysis of degradation products of linoleic acid heated at 200°C under helium by, 435
- analysis of evidence that leptin contributes to intestinal cholesterol absorption in obese (ob/ob) mice and wild-type mice, 153
- analysis of fatty acid methyl esters by, 523
- analysis of milkfats by, 823
- base-catalyzed derivatization methodology for fatty acid analysis of milk fat and celery seed lipid triacylglycerols by, 527
- hepatic and renal lipid composition assessed using, 1059
- triacylglycerols analyzed by, 111
- GAS CHROMATOGRAPHY-MASS SPECTROMETRY**
- rapid and improved method for determination of bile acid in human feces using, 1093
- simultaneous determination by, of epoxy and hydroxy fatty acids as their methoxy derivatives, 917
- GENDER**
- differences of, in the peroxisomal proliferator-activated receptor β -null mouse brain, 495
- GENE EXPRESSION**
- difficult to reconcile changes in regulatory, with corresponding changes in pathway carbon flux, 1153
- GENETICS**
- factors of diet and, and their influence on serum and adipose fatty acid composition in obese female identical twins, 27
- GENISTEIN**
- hypolipidemic action of, in glomerulonephritic rats, 261
- GENISTIN**
- hypolipidemic action of, in glomerulonephritic rats, 261
- Geodinella robusta*
- Far Eastern sponge, 75
- GERANYLGERANIOL**
- prevention and reversion of lovastatin-induced effects, 185
- GLOMERULONEPHRITIS**
- male Wistar rats injected with nephrotoxic serum to cause, 261
- GLUCOSYLCERAMIDES**
- from gonads and body walls of the Patagonian starfish *Allostichaster inaequalis*, 597
- GLUTATHIONE**
- supplementation of selenium has been shown to lower blood cholesterol and increase tissue concentrations of the antioxidant, 1125
- GLUTATHIONE PEROXIDASE**
- decrease of, after ingestion of virgin olive oil, 245
- GLUTATHIONE REDUCTASE**
- decrease of, after ingestion of virgin olive oil, 245
- GLYCERIDES**
- influence sphingomyelin hydrolysis catalyzed by intestinal alkaline sphingomyelinase, 469
- GLYCEROPHOSPHOLIPID**
- oxidizability of, in bilayers, 893
- GOLGI APPARATUS**
- evidence of role for, in assembly of hepatic very low density lipoproteins, 879
- GRIGNARD DEACYLATION**
- conditions to reduce acyl migration necessary for, to produce acylglycerols representative of original triacylglycerol structure, 817
- GROWTH**
- effect of dietary conjugated linoleic acid on, in mice, 689
- GUINEA PIG PANCREAS**
- lipases from, used in kinetic study with vinyl esters and triacylglycerols, 653
- GYMNOSPERMS**
- taxonomy of Pinaceae, major family of, 17
- H**
- HAMSTER(S)**
- effects of vitamin E and selenium intake on oxidative stress and plasma lipids in, fed fish oil, 1125
- olive oil phenolics protect low density lipoproteins and spare vitamin E in the, 1053
- HEART**
- trans*-alkenyl chains in plasmalogens of, from sheep, 811
- HEPATOPANCREAS**
- transfer of lipids between hemolymph and, in the shrimp *Macrobrachium borellii*, 581
- Hesperopeuce*
- review of seed fatty acid composition of, 17
- Hesperopeuce mertensiana*
- gymnosperm species of Pinaceae family, 325

- HETEROLOGOUS EXPRESSION**
production of γ -linolenic acid by, in yeast and tobacco, 417
- HETEROTOPIC HEART TRANSPLANTATION**
used to investigate how much dolichol can be transferred between tissues, 913
- HIGH DENSITY LIPOPROTEIN(S)**
apolipoproteins class of mediators that can participate in regulation of activity of neutrophils, 925
endothelial vasodilatory function predicted by circulating apolipoprotein B and, in healthy humans, 1135
 P_{28} -inhibited cholesteryl ester transfer from, to low density lipoprotein, 641
reduced process of low density lipoprotein binding to triglyceride-rich emulsion particles, 573
- HIGH DENSITY LIPOPROTEIN CHOLESTEROL**
effects of *trans* monounsaturated fatty acids on, 123
- HIGH DENSITY LIPOPROTEIN-CHOLESTERYL ESTER METABOLIC STUDIES**
of mouse livers, 767
- HIGH OLEIC ACID OIL**
suppression of lung tumorigenesis by, 783
- HIGH RESOLUTION SEPARATION**
need to identify and quantify individual fatty acid methyl esters relies on use of best available methods of, 715
- HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY**
analysis of vitamin E and its oxidation products by, with electrochemical detection, 515
novel ethoxyhydroperoxide analyzed by chemiluminescence detection-, with on-line electrospray mass spectrometry, 1007
predominant constituents of free fatty acid fraction from lipids of sponge *Geodina robusta* isolated and partly separated by, 75
separation of phospholipid classes in lipid extracts from scallop, Pacific oyster, and blue mussel conducted using, 507
temperature-enhanced alumina, separation of nonpolar lipids, 1201
- HISTORY**
a, of two hundred years of sterol research, 1153
- HORMONE-SENSITIVE LIPASE**
investigation of, key enzyme in adipocytes regulating fat loss and gain, 139
- HORNER-WADSWORTH-EMMONS OLEFINATION**
compound formed by bacterium *Stenotrophomonas maltophilia* selectively transforming fatty acid using linoleic acid as substrate, 317
- HUMAN(S)**
effects of *trans* monounsaturated fatty acids on health of, 123
endothelial vasodilatory function predicted by circulating apolipoprotein B and high density lipoprotein in healthy, 1135
lens lipid extraction and purification, 1087
maternal supplementation with conjugated linoleic acid decreases milk fat in, 133
protein concentration in, plasma, 573
study investigated possible relationships with intima-media thickness of carotid artery, total arterial compliance, lipid status and, 231
- HUMAN AND MOUSE ELONGASE GENES**
identification and expression of, 733
- HUMAN CELL LINE ENDOTHELIAL ECV-304 CELLS**
cholesterol transport in, 53
- HUMAN CELL LINE LYMPHOID JURKAT CELLS**
cholesterol transport in, 53
- HUMAN CELL LINE MONOCYTIC U-937 CELLS**
cholesterol transport in, 53
- HUMAN MONOCYTIC LEUKEMIA CELLS (U-937 CELLS)**
enrichment of low density lipoprotein with eicosapentaenoic acid and docosahexaenoic acid decreased oxidized low density lipoprotein-induced apoptosis in, 789
- HUMAN PANCREAS**
lipases from, used in kinetic study with vinyl esters and triacylglycerols, 653
- HUMAN TUMORS**
anandamide and other *N*-acyl ethanolamines in, 907
- HUMAN UMBILICAL CORD VEIN-DERIVED ENDOTHELIAL CELLS**
release of free fatty acids from membrane phospholipids observed after incubation of, with vascular endothelial growth factor, 1047
- HYDROLYSIS**
lipase-catalyzed, of triacylglycerol containing acetylenic fatty acids, 997
- HYDROPEROXIDE ENZYMATIC DECOMPOSITION**
promoted by heat, photolysis, metal ions, and metalloproteins, 541
- HYDROPEROXIDE(S)**
divinyl ether synthase pathway of fatty acid metabolism of, 427
lipoxygenase catalyzes the addition of molecular oxygen to polyunsaturated fatty acids to form derivatives of, 1027
oxidative susceptibility of low density lipoprotein determined by measuring the accumulation of cholesteryl ester, 789
stereochemistry of, formed during autooxidation of conjugated linoleic acid methyl ester in the presence of α -tocopherol, 533
- HYDROPEROXY ALDEHYDES**
significant proportion of core aldehydes in complex combinations with, 81
- 10-HYDROPEROXYOCTADEC-11-ENOIC ACID**
formation of 10-hydroxy-11-oxooctadecanoic acid observed in cells of *Thiohalocapsa halophila* can be attributed to the dehydration of, 541
- HYDROXY ALDEHYDES**
significant proportion of core aldehydes in complex combinations with, 81
- HYDROXY-CONJUGATED LINOLEIC ACID METHYL ESTER**
stereochemistry investigation of, 533
- 3-HYDROXY-Z6-DODECENOIC ACID**
study investigated possible relationships with left ventricular mass, total arterial compliance, lipid status, and intima-media thickness of, 231
- HYDROXY FATTY ACIDS**
simultaneous determination by gas chromatography-mass spectrometry of epoxy fatty acids and, as their methoxy derivatives, 917
- (R)-3-HYDROXY FATTY ACIDS**
cardiac and vascular structure and function are related to lipid peroxidation and metabolism in, subjects, 231
- 4-HYDROXY-2-(E)-NONENAL**
method for analysis of, 621
- 3-HYDROXY-3-METHYLGLUTARYL COENZYME A REDUCTASE**
inhibition of hepatic cytochrome P450 action *in vivo* by ketoconazole leads to downregulation of, and sterogenic carbon flux, 1163
simultaneous evaluation of, and cholesterol 7α -hydroxylase activities by electrospray tandem mass spectrometry, 1101
- 10-HYDROXY-11-OXOOCTADECANOIC ACID**
specific formation of, observed in cells of *Thiohalocapsa halophila*, 541
- 3-HYDROXY-Z5,Z8-TETRADECADIENOIC ACID**
of carotid artery, 231
- HYDROXYTYROSOL**
possesses powerful antioxidant properties, 1053
- HYPERCHOLESTEROLEMIA**
egg ovomucin attenuates, in rats and inhibits cholesterol absorption in Caco-2 cells, 267
isoflavones suppressed severe, 261
issues concerning monitoring of statin therapy in subjects with, with high plasma lipoprotein(a) levels, 439
- HYPERLIPIDEMIA**
associated with higher adrenoceptor sensitivity, 501
effects of genistein and its glycoside genistin studied in nephritic rats with endogenous, 261
improvement of, by marine oil-based phytosterol compound, 147
- HYPERTENSION**
and fatty acids, 561
- HYPERTRIGLYCERIDEMIA**
isoflavones suppressed severe, 261
- HYPOALBUMINEMIA**
massive protein excretion into urine results in, 261

HYPOLIPIDEMIC ACTION

- of soybean isoflavones genistein and genistin in glomerulonephritic rats, 261

I

IMMUNE RESPONSE

- two-isomer preparation of conjugated linoleic acid suggested to stimulate, after vaccination against hepatitis B virus, 1019

IMMUNOHISTOCHEMISTRY

- effect on, of flax oil in rat polycystic kidney disease, 1059

INCORPORATION

- dietary conjugated linoleic acid supplementation had little influence on, of the deuterium-labeled fatty acids used, 741

INDIANS

- beneficial effects of dietary α -linolenic acid in, 1077

INDIRECT CALORIMETRY

- chemical analysis of mice used for, 689

INFANT NEWBORN

- fast and reproducible method for the direct quantitation of adipose tissue in, 95

INFANT NUTRITION

- docosahexaenoic acid affects, with regard to visual acuity and cognitive development, 237

INFANTS

- long-chain polyunsaturated fatty acid supplementation improves polyunsaturated fatty acid profile in, with cholestasis, 953

INFLAMMATION

- and atherosclerosis, 487
- flaxseed has possible benefits in the reduction of, in rheumatic disease, 1059
- significant modification in concentration of plasma lipids and apolipoproteins observed during, 925

INFLAMMATORY BOWEL DISEASE

- effects of duodenal seal oil administration in patients with, 935

INFLAMMATORY CYTOKINES

- effects of conjugated linoleic acid on, 725

INSECTICIDE

- effect of, fenitrothion, on the physical properties of crustacean lipoproteins, 673

INSULIN RESISTANCE

- improvement of, by marine oil-based phytosterol compound, 147

INTERACTION

- main and, effects of vitamin E and selenium intake on oxidative stress and plasma lipids in hamsters fed fish oil, 1125

INTERFACIAL ACTIVATION

- kinetics of hydrolysis of soluble substrates by lipases either show weak or no, 653

INTERFERON γ

- pharmacologic modulation of, 487

INTERLEUKIN-1 β

- effect of apolipoproteins A-I and A-II on release of, 925

INTERLEUKIN-8

- effect of apolipoproteins A-I and A-II on release of, 925

INTERLEUKINS

- effects of conjugated linoleic acid on, 725

INTESTINAL EPITHELIAL CELLS

- intestinal fatty acid-binding protein exclusively expressed in, 61

INTESTINAL FATTY ACID-BINDING PROTEIN

- reduced secretion of triacylglycerol in Caco-2 cells transfected with, 61

INTIMA-MEDIA THICKNESS

- left ventricular diastolic dysfunction is early finding in hypertensive disease of, 231

INTRON LOSS

- retroposition is most direct mechanism of, 417

IN VITRO

- effects of fat, fatty acids and cholesterol, on sphingomyelin hydrolysis induced by rat intestinal alkaline sphingomyelinase, 469

IN VIVO

- effect of vitamin E and selenium on, lipid peroxidation, 1125

ISCHEMIA

- increased cardiomyocyte apoptosis following, and reperfusion in diet-induced hypercholesterolemia, 385

ISOFLAVONE

- suppressed nephritis-induced severe hypercholesterolemia and hypertriglyceridemia, 261

ISOMERIC FATTY ACID

- trans, relate inversely to arachidonic acid and docosahexaenoic acid and positively to Mead acid in umbilical vessel wall lipids, 959

ISOMERIZATION

- results of, from heating pure methyl rumenate, 435

J

JCR:LA-CP RAT

- strain exhibits all major aspects of obesity/insulin resistance syndrome, 147

JOINT PAIN

- effects of duodenal seal oil administration on, in patients with inflammatory bowel disease, 935

K

Keteleeria SPP.

- review of seed fatty acid composition of, 17

KETOCONAZOLE

- chronic exposure of liver to, induces CYP51 activity, 1163

KIDNEY

- correlation between fatty acyl composition in neutral and polar lipids and enzyme activities from, of calcium-deficient rats, 701
- flax oil in rat polycystic, disease, 1059

KINETIC BEHAVIOR

- comparison of, of lipases and esterases against solutions and emulsions of vinyl esters and triacylglycerols, 653

KINETICS

- size of chylomicrons can influence their, 455

KING PENGUIN

- fatty acid composition of heart and skeletal muscle during embryonic development of, 407

L

L6 CELLS

- evidence in favor of a facilitated transport system for fatty acid uptake in cultured, 273

LACTATION

- 24-hour evaluation of n-3 long-chain polyunsaturated fatty acid levels in breast-milk collected from hind-milk samples from every, 237
- effect of supplementation with conjugated linoleic acid during, 133

LANOSTEROL DEMETHYLASE

- samples of hepatic microsomes used to assay, activity, 1163

LANOSTEROL SYNTHASE

- cycloartenol synthase from *Arabidopsis thaliana* and, from *Trypanosoma cruzi* and *Pneumocystis carinii* expressed in yeast and subcellular distribution in the expressing cells compared, 1171

LAURIC ACID

- desaturated in rat liver, 569

LEAN BODY MASS

- body fat mass decreased concomitantly with increase in or maintenance of, 1019

LENS

- quantification and monophasic solvent purification of human and bovine, phospholipids, 1087

LEPTIN

- significant positive correlation found between adipose tissue weights and serum levels of, 343

LEUKEMIA

- study of cytotoxic effects of γ -tocopheryl quinone on, cells, 173

LIGHT EXPOSURE

- dietary n-3 fatty acids modulate long and very long chain fatty acid content, rhodopsin content, and rhodopsin phosphorylation in rat rod outer segment after, 253

LINOLEIC ACID

- oxygenation of, by enzyme lipoxygenase present in microalga *Chlorella pyrenoidosa*, 1027
- rumenic acid may follow same *in vivo* metabolic pathway of conversion in long-chain fatty acid as, 1039
- substitution of blended oils in Indian diet decreased, ratio, 1077

 α -LINOLENIC ACID

- beneficial effects of dietary, in Indians, 1077
- olive oil is significant source of, in women from southwestern region of France, 1147
- role of, in mammals, 1113

 γ -LINOLENIC ACID

- production of, in transgenic plants, 417
- stereospecific analysis shows special positional distribution of, in triacylglycerols of modified borage and evening primrose oils, 803

Linum usitatissimum

- agrobacterium* transformation of flax, necessary, 863

LIPASES

- hydrolysis of vinyl esters by esterases and, 653

LIPID(S)

- combined action of enzymes on lipoproteins and movements of, and apolipoproteins in plasma control lipoprotein levels, 773
- differences in plasma, fatty acid composition following dietary conjugated linoleic acid supplementation, 741
- human lens, extraction and purification, 1087
- investigation as to whether relationship exists between composition of fatty acids in serum, and vascular reactivity, 1141
- locally and systemically active glucocorticosteroids modify intestinal absorption of, in rats, 159
- possible role of flavonoids in regulating, and apolipoprotein B secretion by the intestine, 647
- review of, and endothelium-dependent vasodilation, 1

LIPID-BINDING PROTEINS

- role of, in enterocyte in overall control of lipid absorption remains to be determined, 159

LIPID COMPOSITION

- and peroxidation in pancreatitis, 167
- surfactant-like particles differ in, 463

LIPID DEPLETION

- by permethylated- α -cyclodextrin, 201

LIPID EMULSION

- low density lipoprotein binding to particles of, 573

LIPID HYDROPEROXIDES

- in rat plasma, selenium compounds decreased the formation of, 633

LIPID METABOLISM

- regulation of phosphatidic acid phosphohydrolase 1 by fatty acids, 69
- shrimp hepatopancreas most important and active organ for, 581

LIPID MOLECULAR SPECIES

- changes in, of microsomal membranes during aging of potato seed-tubers, 309

LIPID ORDER

- overall effect of insecticide is to induce an increase in, in a concentration-dependent fashion, 673

LIPID OXIDATION

- polydimethylsiloxane/divinylbenzene fiber used to adsorb volatile prod-

ucts of, for gas chromatography analysis, 621

LIPID PARTICLES

- may be regarded as natural enrichment device for purifying eukaryotic oxidosqualene cyclases through their expression in yeast, 1171

LIPID PEROXIDATION

- acute pancreatitis increases susceptibility to, in rat pancreas, 167
- effect of vitamin E and selenium on *in vivo*, 1125
- gas chromatography-mass spectrometry used for quantitative analysis of markers of, in biological material, 917
- implicated in variety of damaging pathological events in biological tissues and fluids, 515
- investigation of antioxidant action of selenium compounds against, 633
- products of, in plasma increased after ingestion of virgin olive oil, 245

LIPID PROFILE

- effects of Pycnogenol® supplementation on measures of oxidative stress and, in humans, 931

LIPIDIC AMINO ACIDS

- compound formed by bacterium *Stenotrophomonas maltophilia* selectively transforming fatty acid using linoleic acid as substrate, 317

LIPOPROTEIN(S)

- and apolipoprotein changes in renal transplant recipients, 967
- dietary *cis* and *trans* monounsaturated and saturated fatty acids and plasma lipids and, in men, 123
- effect of fenitrothion on the physical properties of crustacean, 673
- in offspring of diabetic rats, 773
- long-chain polyunsaturated fatty acids in the form of triacylglycerols or phospholipids influence size and composition of lymph, in piglets, 975
- structure in crustaceans simpler than in vertebrates, 581
- supplemental intake of selenium associated with lower plasma concentrations of total cholesterol, and low density cholesterol plus very low density, cholesterol, 1125

LIPOPROTEIN(a)

- issues concerning monitoring of statin therapy in hypercholesterolemic subjects with high plasma levels of, 439

LIPOPROTEIN ASSEMBLY

- investigation of role of Golgi apparatus in, 879

LIPOPROTEIN LIPASE

- investigation of, key enzyme in adipocytes regulating fat loss and gain, 139
- no significant differences in activity of, 693

LIPOSOME

- oxidizability in bilayers shown to depend on bis-allylic hydrogen content by using multilamellar, or intact cells, 893

LIPOXYGENASE

- hydroperoxides generated by 13-, activity can serve as precursors of divinyl ethers, 427
- purification of, from *Chlorella*, 1027

LIVER

- chronic exposure of, to ketoconazole induces CYP51 activity, 1163
- correlation between fatty acyl composition in neutral and polar lipids and enzyme activities from, of calcium-deficient rats, 701
- effects of sesaminol on tocotrienol concentrations in, of rats, 351
- fatty acid composition of, phospholipids of newborn piglets fed *trans* isomers of α -linolenic acid, 849
- long-chain polyunsaturated fatty acid supplementation improves polyunsaturated fatty acid profile in infants with cholestatic, disease, 953
- minimization of long-chain polyunsaturated fatty acid depletion in, during peroxisome proliferator exposure, 981
- transformations of dehydroepiandrosterone and its metabolites by rat, 1187
- addition of triglyceride to nascent very low density lipoprotein in, 879
- in vitro* desaturation and elongation of rumenic acid by rat, microsomes, 1039

LIVER LIPIDS

- effect of dietary conjugated linoleic acid on, of hen eggs, 751
- effects of feeding soy protein and menhaden oil on, in rats, 693

LIVER X-RECEPTOR α

- oxysterols are potent regulators of activities of transcription factors of sterol regulatory element-binding protein family and of, 1163
- review of studies on role of transcription factor, 1153

LONG-CHAIN n-3 POLYUNSATURATED FATTY ACIDS

- effects of, from fish oil on biochemical indices of coronary heart disease in Indians, 1077

LONG-CHAIN POLYUNSATURATED FATTY ACIDS

- as triacylglycerols or phospholipids influence lymph lipoprotein size and composition in piglets, 975

LONG-EVANS RAT

- retinal function evaluated in third generation of pigmented, 759

LOW DENSITY LIPID OXIDIZABILITY

- habitual fish intake associated with decreased, 333

LOW DENSITY LIPOPROTEIN(S)

- binding of, to lipid emulsion particles, 573
- effects of *trans* monounsaturated fatty acids on, cholesterol 123
- investigation as to whether, particle size related to endothelial vasodilatory function, 1135
- olive oil phenolics protect, and spare vitamin E in the hamster, 1053
- oxidation plays important role in the development of atherosclerosis, 245
- P_{28} -inhibited cholesteryl ester transfer from high-density lipoprotein to, 641
- reduced effect of eicosapentaenoic acid and docosahexaenoic acid on, apoptosis induced by, 789
- statin therapy decreases levels of plasma, 439

LUNG

- correlation between fatty acyl composition in neutral and polar lipids and enzyme activities from, of calcium-deficient rats, 701
- efficient synthesis of, 223
- lipid composition of, in zinc-deficient rats, 291

LUNG TUMORIGENESIS

- suppression of, by high oleic acid oil, 783

LYMPH

- long-chain polyunsaturated fatty acids in the form of triacylglycerols or phospholipids influence, lipoprotein size and composition in piglets, 975

LYMPH FLUID

- α -tocopherol concentrations measured in, 351

T-LYMPHOCYTES

- lysophosphatidic acid acyltransferase in, 475

LYMPHOMA CELL LINE

- eicosapentaenoic acid promotes apoptosis in, *via* activation of caspase-3 and -9, 797

LYSOPHOSPHATIDIC ACID

- acyltransferase in T-lymphocytes, 475

M**MACROPHAGES**

- activation of, inhibited in apolipoprotein E knockout mice, 487

MAGNETIC RESONANCE IMAGING

- of infant adipose tissue, 95

MAMMALS

- role of α -linolenic acid in, 1113

MASS SPECTROMETRY

- analysis of evidence that leptin contributes to intestinal cholesterol absorption in obese (ob/ob) mice and wild-type mice, 153
- liquid chromatography/electron impact-, method used to analyze products formed by lipoxygenase present in *Chlorella pyrenoidosa*-derived fraction, 1027
- separation and identification of a novel ethoxyhydroperoxide using, 1007
- simultaneous evaluation of 3-hydroxy-3-methylglutaryl-CoA reductase and cholesterol 7 α -hydroxylase activities by electrospray tandem, 1101
- used in identification of fatty acids from Far Eastern sponge *Geodina robusta*, 75
- used in identification of lipid ester core aldehydes formed during rapid oxidation of triacylglycerols of corn and sunflower oils, 81

MATRIX-ASSISTED LASER DESORPTION/IONIZATION TIME-OF-FLIGHT MASS SPECTROMETRY

- analysis of changes in lipid molecular species and sterols of microsomal membranes during aging of potato seed-tubers by, 309

MCF-7 CELLS

- effect of palm carotene supplementation on tumorigenicity of human breast cancer, 557

MEAD ACID

- trans* isomeric octadecenoic acids relate inversely to arachidonic acid and docosahexaenoic acid and positively to, in umbilical vessel wall lipids, 959

MEAN PLATELET VOLUME

- n-3 fatty acids and, 941
- relationship between platelet phospholipid fatty acid and, in healthy men, 901

MEAT

- enrichment of, and eggs with docosahexaenoic acid, 1067

MEDITERRANEAN DIET

- is rich in antioxidants and believed to provide protection against effects of oxidative stress, 1053

MEDIUM-CHAIN FATTY ACID

- distribution of, in different lipid classes after administration of specific structured triacylglycerols in rats, 329

MEK

- assay performed on three mice, 783

MEMBRANE FLUIDITY

- effects of fructose-1,6-biphosphate on, 885

MEMBRANE PERMEABILITY

- effects of fructose-1,6-biphosphate on, 885

MEMBRANE POTENTIAL

- effects of fructose-1,6-biphosphate on, 885

MEMBRANES

- study objective to determine if acute pancreatitis leads to lipid peroxidation of pancreatic, 167

METABOLIC CONTROL ANALYSIS

- interpretation of results from, perspective of regulation of pathway fluxes, 1153

METABOLISM

- cholesterol oxidation products and chylomicron, 455
- of lipids in tissues of Eurasian perch, 297

METASTASES

- assessment of extent of lung, in nude mice, 557

METHANOLYSIS

- fatty acid methyl esters can be prepared from many samples of small amounts of blood or breastmilk by alkaline, on small pieces of filter paper, 523

METHOXYLATED FATTY ACIDS

- from the Caribbean sponge, *Spherospongia cuspidifera*, 305
- structures of *iso* and *anteiso* methyl-branched 2-, 1033

METHYL 4-HYDROXYNON-2(E)-ENOATE

- racemic 1,4-dihydroxynonane mercapturic acid synthesized by a two-step sequence involving Michael addition of *N*-acetyl-cysteine to, 1013

METHYL ESTERS

- temperature-enhanced alumina high-performance liquid chromatography method for the analysis of wax esters, sterol esters, and, 1201

16-METHYLOCTADECADIENOIC ACID

- minor uncommon fatty acid found in *Hesperopeuce mertensiana* seed oil, 325

16-METHYLOCTADECANOIC ACID

- minor uncommon fatty acid found in *Hesperopeuce mertensiana* seed oil, 325

16-METHYLOCTADECENOIC ACID

- minor uncommon fatty acid found in *Hesperopeuce mertensiana* seed oil, 325

MICE

- characterization of the adipose tissue atrophy induced by peroxisome proliferators in, 139

- effects of dietary conjugated linoleic acid on the expression of uncoupling proteins in, and rats, 853
- MICELLE(S)**
cholesterol, containing ovomucin significantly suppressed cholesterol uptake by Caco-2 cells compared to those containing casein, 267
crystallographic studies of the three-dimensional structure of lipase-colipase complex cocrystallized with mixed, of phosphatidylcholine, 653
- MICROSOMAL TRIGLYCERIDE TRANSFER PROTEIN**
determining whether turnover of Golgi membrane triglyceride pool is dependent on, 879
effect of high doses of atorvastatin and simvastatin on, 445
potential role of, and diacylglycerol acyltransferase in inhibition of intestinal apolipoprotein B secretion by flavonoid quercetin, 647
- MICROSOMES**
identification of molecular species of phosphatidylcholine and phosphatidylethanolamine isolated from castor, 991
in vitro desaturation and elongation of rumenic acid by rat liver, 1039
interlipids and lipid/protein relationships modified in, from calcium-deficient rats, 701
- MILK FAT**
base-catalyzed derivatization methodology for fatty acid analysis of, 527
cis-9,*trans*-11 and *trans*-7,*cis*-9 conjugated linoleic acid most prevalent isomers of conjugated linoleic acid in, 681
maternal supplementation with conjugated linoleic acid decreases, 133
- MILK FATTY ACIDS**
evaluation of two gas chromatography columns for analysis of, 823
- MILK GLYCEROLIPIDS**
convenient method developed for preparation of fatty acid methyl esters from, 523
- MITOCHONDRIAL MEMBRANE POTENTIAL**
ethanolamine glycerophospholipid eicosapentaenoic acid and docosahexaenoic acid levels negatively correlated to, 193
- MODIFIED BORAGE OIL**
positional distribution of fatty acid in triacylglycerols of enzymatically, 803
- MODIFIED CLEMMENSEN REDUCTION**
differs from original Clemmensen reduction method due to removal of mercury, 1193
- MODIFIED EVENING PRIMROSE OIL**
positional distribution of fatty acid in triacylglycerols of enzymatically, 803
- MOLECULAR SPECIES**
of phosphatidylcholine and phosphatidylethanolamine formed during castor oil biosynthesis, 991
- α -MONOACYLGLYCEROLS**
direct method for regiospecific analysis of triacylglycerols using, 817
- MONOPHASIC**
comparison of Folch-based approach and novel methanol extraction method of human and bovine lens phospholipids, 1087
- trans*-MONOUNSATURATED ACYL CHAIN**
characterization of, in total plasmalogens from sheep heart, 811
- trans*-MONOUNSATURATED ALKENYL CHAIN**
characterization of, in total plasmalogens from sheep heart, 811
- trans* MONOUNSATURATED FATTY ACIDS**
hypercholesterolemic effect of, on plasma total cholesterol and low density lipoprotein cholesterol, 123
- MOUSE**
comparison of the effects of dietary α -linolenic, stearidonic, and eicosapentaenoic acids on production of inflammatory mediators in the, 481
gender differences in the peroxisomal proliferator-activated receptor β -null brain of, 495
- MULTICOMPONENT ANALYSIS**
of Abietoid seed fatty acids, 17
- MULTIDRUG RESISTANCE**
increasing evidence that, in cancer cells may be result of decrease in ability of cell to initiate apoptosis in response to cytotoxic agents, 173
- N**
- NATIONAL INTER-PROFESSIONAL CENTER FOR DAIRY ECONOMICS**
new data on bovine milk consumption recently published by, 1149
- NATURAL KILLER CELLS**
 β -carotene enhances activity of, 557
- NECROSIS**
difference between apoptosis and, defined by changes in cell morphology, 173
- NEPHROPATHY**
effects of dietary lipids on daunomycin-induced, in mice, 359
- NERVOUS SYSTEM**
marked modification of fatty acid composition in, when two or more generations of animals are maintained on n-3-deficient diet, 367
- NEUROPEPTIDES**
endurance exercise causes alterations in the levels of some, 43
- NEUTRAL LIPIDS**
analyzed from liver, brain, kidney, and heart of calcium-deficient rats, 701
- NEUTROPHILS**
apolipoprotein A-I and A-II downregulate functions of, 925
- NEWBORN**
fatty acid composition of plasma, red blood cell, and liver phospholipids of, piglets fed *trans* isomers of α -linolenic acid, 849
- NEW ZEALAND GREEN-LIPPED MUSSEL**
lipid, fatty acid and sterol composition of, 587
- NITRIC OXIDE**
significant reduction in production of, 487
- NONESTERIFIED FATTY ACID**
effects of n-3 fatty acid and exercise on, 947
- NONPOLAR LIPIDS**
temperature-enhanced alumina high-performance liquid chromatography separation of, 1201
- NOREPINEPHRINE TURNOVER**
lipid infusion decreases rate of pancreatic, 501
- NUCLEAR MAGNETIC RESONANCE**
novel ethoxyhydroperoxide characterized on basis of, spectroscopy and mass spectrometry in high-resolution fast atom bombardment mode, 1007
quantification and monophasic solvent purification of human and bovine lens phospholipids by ^{31}P , 1087
used in identification of fatty acids from Far Eastern sponge *Geodinella robusta*, 75
used to analyze detailed chemical structure of polar lipid fraction from marine bivalves, 507
- NUCLEAR RECEPTORS**
long-chain polyunsaturated fatty acids are endogenous ligands for peroxisome proliferator-activated receptor α and other, 981
- NUTRITION**
and retinal sensitivity loss in third-generation n-3 polyunsaturated fatty acid-deficient rats, 759
- O**
- OBESITY**
and the assessment of dietary and genetic factors influencing serum and adipose fatty acid composition in female identical twins, 27
effects of two-isomer preparations of conjugated linoleic acid on humans, 1019
injection of streptozotocin in pregnant rats resulted in fetal, 773

- monogenic mouse model for study of, 153
- Δ5-OLEFINIC ACIDS**
present in Abietoids and Pinoids constituting the family Pinaceae, 17
- OLEIC ACID**
hypercholesterolemic effect of, compared to *trans* monounsaturated fatty acids, 123
regiospecific analysis of, 111
- OLIVE OIL**
is significant source of α -linolenic acid in women from southwestern region of France, 1147
- OVERWEIGHT**
effects of two-isomer preparations of conjugated linoleic acid on, humans, 1019
- OVOMUCIN**
egg, attenuates hypercholesterolemia in rats and inhibits cholesterol absorption in Caco-2 cells, 267
- OXIDATION**
determination and comparison of oxidizability of various glycerophospholipids in bilayers to elucidate characteristics of phospholipid, in membranes, 893
formation of triacylglycerol core aldehydes during rapid, of corn and sunflower oils with *tert*-butyl hydroperoxide/ Fe^{2+} , 81
- β -OXIDATION**
activity of, in liver mitochondria and peroxisomes significantly higher in conjugated linolenic acid group, 343
of fatty acids is central to role of peroxisomes, 495
- OXIDIZABILITY**
of glycerophospholipids in bilayers, 893
- OXIDIZED CHOLESTEROL**
effect of, on metabolism of nascent chylomicrons *in vivo*, 455
- OXIDIZED LOW DENSITY LIPOPROTEIN**
dietary flax oil reduces renal injury, content, and tissue n-6/n-3 fatty acid ratio in experimental polycystic kidney disease, 1059
investigation into whether, related to endothelial vasodilatory function, 1135
- OXIDOSQUALENE CYCLASE**
subcellular localization of, from *A. thaliana*, *T. cruzi*, and *P. carinii* expressed in yeast, 1171
- OXOACIDS**
obtained by dehydration of corresponding hydroperoxides in mixture of pyridine and acetic anhydride, 541
- 3,16,26-OXYGENATED STEROLS**
aglycone of shark repellent pavoninin-5, synthesized from diosgenin using modified Clemmensen reduction, 1193
- OXYGEN RADICAL ABSORBANCE CAPACITY**
antioxidant effect of Pycnogenol® demonstrated by significant increase in, 931
- OXYSTEROLS**
are potent regulators of activities of transcription factors of sterol regulatory element-binding protein family and of liver X-receptor α , 1163
have potential to adversely affect chylomicron metabolism, 455
- OZONATION**
of phosphatidylcholine in ethanol, 1007
- P**
- PALM CAROTENES**
and tumorigenicity in nude mice, 557
- PANCREAS**
acute pancreatitis decreases phospholipid levels and increases susceptibility to lipid peroxidation in rats, 167
- PANCREATIC β -CELL**
 α_2 adrenoceptor and phospholipid changes in hyperlipidemic rats, 501
- PANCREATITIS**
lipid composition and peroxidation in, 167
- PARENTERAL NUTRITION**
lipid emulsions used in, 573
- Parietochloris incisa*
biosynthesis of arachidonic acid in oleaginous microalga, 209
- PATHWAY FLUX**
quantitative relationship exists between the activity of a rate-limiting enzyme and overall, 1153
- PATHWAYS**
evidence for multiple sterol methyl transferase, in *Pneumocystis carinii*, 1177
- PAVONININ-5 AGLYCON**
synthesized from diosgenin, 1193
- PEANUT OIL**
relative conjugated linoleic acid isomer distribution identical for methyl linoleate and for sesame seed oil, safflower seed oil, and, 435
- P₂₈ PEPTIDE**
located in high density lipoprotein fractions of hog plasma, 641
- PEPTIDE INHIBITOR**
binding characteristics of cholesteryl ester transfer protein, 641
- PERICYCLIC REACTION**
of [1,5] sigmatropic rearrangements of conjugated linoleic acid in heated oils, 435
- PERMETHYLATED- α -CYCLODEXTRIN**
novel cyclodextrin derivative, used for removing glycerolipids from spinach thylakoid membranes, 201
- PEROXIDATION**
phospholipid, and plasmalogens, 285
- PEROXISOMAL PROLIFERATOR-ACTIVATED RECEPTOR**
coagonists inhibits macrophage activation and atherosclerosis in apolipoprotein E knockout mice, 487
fatty acid-response system involved in diverse cellular responses, 367
review of studies on role of transcription factor, α , 1153
targeted disruption of, 495
- PEROXISOME**
preliminary steps of ether phospholipid biosynthesis occur in the, 495
- PEROXISOME PROLIFERATION**
might result in increased mobilization of lipids and lipid utilization in liver, 139
- PEROXISOME PROLIFERATOR**
characterization of the adipose tissue atrophy induced by, in mice, 139
- PETROSELINIC ACID**
high level of, in celery seed oil, 527
regiospecific analysis of, 111
- PGA**
intermediate in synthesis of, in corals, 217
- PHOSPHATIDATE PHOSPHOHYDROLASE**
activity of, markedly increased by simvastatin and atorvastatin administration, 445
- PHOSPHATIDYLCHOLINE**
final step in synthesis of (S)- α -amino oleic acid, 223
hydrolyzes into phosphorylcholine and diacylglycerol, 401
in zinc deficiency, increase of both pathways of biosynthesis of, in liver microsomes, 291
molecular species of, and phosphatidylethanolamine formed during castor oil biosynthesis, 991
observed when plasma peroxidized by addition of a free radical initiator, 515
ozonation of, in ethanol, 1007
synthesis of, 663
- PHOSPHATIDYLETHANOLAMINE**
molecular species of phosphatidylcholine and, formed during castor oil biosynthesis, 991
protected phospholipids efficiently but differentially against peroxidative attack, 285
synthesis of, 663

PHOSPHOLIPASE

arachidonate increase ascribed to the activation of, A_2 , 1047

PHOSPHOLIPASE A_2

activities of, in tissues from calcium-deficient rats, 701

PHOSPHOLIPID(S)

acute pancreatitis decreases levels of pancreas, 167

caprylic acid from structured triacylglycerols is not and lauric acid from structured triacylglycerols is incorporated into, 329

concentration of, in the lungs of rats is modified by a zinc-deficient diet, 291

conjugated linoleic acid content of, from lamb tissues, 605

determination and comparison of oxidizability of various glycerophospholipids in bilayers to elucidate characteristics of, oxidation in membranes, 893

eicosapentaenoic and docosahexaenoic acids induce compositional changes in colonic mitochondrial membrane, that facilitate apoptosis, 193

fatty acid composition of liver, of newborn piglets fed *trans* isomers of α -linolenic acid, 849

from calcium-deficient rats, 701

from the uncommon Caribbean sponge, *Sphēciospongia cuspidifera*, 305

levels of, in mouse brain, 495

long-chain polyunsaturated fatty acids in the form of triacylglycerols or, influence lymph lipoprotein size and composition in piglets, 975

only 2-methoxy fatty acids known to date have arisen from the, of sponges, 1033

platelet, are differentially protected against oxidative degradation by plasmalogens, 285

presence of glycerol or excess, in the emulsion did not markedly affect formation of complexes, 573

quantification and monophasic solvent purification of human and bovine lens, by ^{31}P nuclear magnetic resonance, 1087

step in synthesis of (S)- α -amino oleic acid, 223

PHOSPHOLIPID COMPOSITION

higher receptor affinity may be due to changes in islet, 501

PHOSPHOLIPID MOLECULAR SPECIES

of docosahexaenoic cardiolipin in bivalves, 507

PHOSPHOLIPID RATIOS

decreased due to changes in lipid parameters of microsomal membranes, 869

PHOTORECEPTOR

sensitivity loss in n-3 deficiency, 759

PHOTOTRANSDUCTION

rod and cone function assessed in terms of parameters describing, 839

PHYTOSTEROL ESTERS

highly fat soluble and can be incorporated into fat-based foods, 147

PHYTOSTEROLS

hydrogenating, until completely saturated results in phytostanol, 1201

PICOLINYL ESTER

prepared from fractionated fatty acid methyl esters of *Hesperopeuce mertensiana*, 325

PIGLET(S)

long-chain polyunsaturated fatty acids in the form of triacylglycerols or phospholipids influence lymph lipoprotein size and composition in, 975

tissue fatty acid composition of, fed *trans*- α -linolenic acid, 849

PIG LIVER ESTERASE

lipases from, used in kinetic study with vinyl esters and triacylglycerols, 653

PINACEAE

Hesperopeuce mertensiana, gymnosperm species of family of, 325

pine family, 17

PINOIDS

proportions of individual $\Delta 5$ -olefinic acids differ between Abietoids and, 17

PINOLENIC ACID

in Abietoids and Pinooids, 17

PLANT STEROL

campesterol is a type of, not synthesized in mammalian cells, 153

PLANT STEROL ESTERS

lower plasma lipids and most carotenoids in mildly hypercholesterolemic adults, 33

PLASMA

correlation between fatty acyl composition in neutral and polar lipids and enzyme activities from, of calcium-deficient rats, 701

fatty acid composition of, of newborn piglets fed *trans* isomers of α -linolenic acid, 849

effect of sesaminol on, 351

PLASMA CHOLESTEROL

effects of feeding soy protein and menhaden oil on, in rats, 693

PLASMA LIPIDS

effects of blended oils vs. fish oil on, 1077

dietary *trans* fatty acids and, 123

PLASMALOGEN(S)

glycerophospholipid fractions subjected to mild acid hydrolysis to cleave the vinyl ether linkage of, 495

platelet phospholipids are differentially protected against oxidative degradation by, 285

trans-alkenyl chains in, from sheep heart, 811

PLASMA n-3 POLYUNSATURATED FATTY ACIDS

studies on composition of, suggest need to improve n-3 polyunsaturated nutritional status in Indian population, 1077

PLASMA TRIGLYCERIDES

effects of feeding soy protein and menhaden oil on, in rats, 693

PLATELET ACTIVATING FACTOR

cholinephosphotransferase reaction implicated in synthesis of, and a precursor of, 663

PLATELET ACTIVATION

first indication of, is increase in mean platelet volume, 941

PLATELET AGGREGATION

supplementation with fish oil decreased adenosine diphosphate-induced, in platelet-rich plasma, 1077

PLATELET COUNT

mean platelet volume and, measured in basal state and after *ex vivo* stimulation with collagen, cold, and heat, 941

PLATELET PHOSPHOLIPID

relationship between, fatty acid, and mean platelet volume in healthy men, 901

studies on composition of, n-3 polyunsaturated fatty acids suggest need to improve n-3 polyunsaturated nutritional status in Indian population, 1077

PLATELETS

plasmalogen content of, 285

Plexaura homomalla

prostaglandins in Caribbean sea whip coral, 217

Pneumocystis carinii

evidence for multiple sterol methyl transferase pathways in, 1177

POLY(ADP-RIBOSE)POLYMERASE

γ -tocopheryl quinone induces cleavage of, 173

POLYUNSATURATED FATTY ACID(S)

flax oil feeding produced hepatic and renal enrichment of n-3, 1059

investigation of correlation between platelet phospholipid, composition, and mean platelet volume, 901

long-chain, have been shown to provide protection against cardiovascular disease and arterial thrombosis, 863

long-chain, supplementation in infants with cholestasis, 953

minimization of long-chain, depletion in the liver during peroxisome proliferator exposure, 981

no consensus whether saturated fatty acids should be replaced by monounsaturated fatty acids, fatty acids or carbohydrates, 1141

oxygenated by cytochrome P450, 917

prostaglandin E_2 production suppressed and tumor necrosis factor not suppressed by dietary n-3, 481

required for optimal neuronal development and function, 367

n-3 POLYUNSATURATED FATTY ACID(S)

effect of dietary conjugated linoleic acid and, on egg yolk fatty acid profile and hepatic lipid accumulation, 751

effects of long-chain, from seal oil in patients with inflammatory bowel disease, 935

increasing recognition that some diseases may be associated with imbalance of ratio of n-6 to, 523

significant positive correlation between amounts of, ingested with the diet and amounts in serum, phospholipid, and cholesterol ester fractions of isolated low density lipids, 333

n-6 POLYUNSATURATED FATTY ACID(S)

increasing recognition that some diseases may be associated with imbalance of ratio of n-3 to, 523

trans POLYUNSATURATED FATTY ACID

physiological effects of, not known, 849

POSITIONAL DISTRIBUTION

of fatty acid in triacylglycerols of enzymatically modified borage and evening primrose oils, 803

POSTPRANDIAL

and short-term effects of dietary virgin olive oil on the oxidant/antioxidant status, 245

POSTPRANDIAL LIPEMIA

and mean platelet volume, 941

POSTPRANDIAL LIPOPROTEINS

transport dietary oxidized cholesterol to circulation, 455

POTATO

changes in lipid molecular species and sterols of microsomal membranes during aging of seed-tubers of, 309

PREDNISON

effect of, on intestinal absorptive function in weanling rats, 159

PROGESTERONE

as inhibitor of intracellular cholesterol transport, 53

PROSTAGLANDIN(S)

in Caribbean sea whip coral *Plexaura homomalla*, 217

in vitro secretion of, 725

PROSTAGLANDIN E₂

high oleic acid oil suppresses lung tumorigenesis and is correlated with inhibition of production of, 783

production of, suppressed by dietary n-3 polyunsaturated fatty acids, 481

PROTEINURIA

reduced with probucol, 261

Pseudolarix

review of seed fatty acid composition of, 17

PURIFICATION

human lens lipid extraction and, 1087

PURPLE SULFUR BACTERIA

regiospecific enzymatic oxygenation of *cis*-vaccenic acid during aerobic senescence of halophilic, *Thiohalocapsa halophila*, 541

PYCNOGENOL®

effects of, supplementation in humans, 931

Pythium irregulare

isolation and characterization of a $\Delta 5$ fatty acid desaturase from, 863

Q**QUANTITATION**

ability to separate and uniquely identify isomers in complex samples is basic requirement to support accurate, 715

QUANTITATIVE POLYMERASE CHAIN REACTION

analysis of mice livers, 767

QUERCETIN

inhibits intestinal apolipoprotein B secretion, 647

R**RAF-1**

assay performed on three mice, 783

Ranunculus lingua

biosynthesis of new divinyl ether oxylipins in, 427

RAS

activation of extracellular signal-regulated kinase cascade based on the mutation of K- gene required for lung tumor promotion, 783

effects of farnesol and geranylgeraniol on isoprenylation of, 185

RAT(S)

dietary conjugated linolenic acid in relation to conjugated linoleic acid differentially modifies body fat mass and serum and liver lipid levels in, 343

distribution of medium-chain fatty acids in different lipid classes after administration of specific structured triacylglycerols in, 329

effects of dietary conjugated linoleic acid on the expression of uncoupling proteins in mice and, 853

egg ovomucin attenuates hypercholesterolemia in, 267

acute pancreatitis decreases pancreas phospholipid levels and increases susceptibility to lipid peroxidation in pancreas of, 167

dolichol levels in younger and older, hearts heterotopically transplanted in younger recipients, 913

impaired lipoprotein metabolism in obese offspring of streptozotocin-induced diabetic, 773

in vitro desaturation and elongation of rumenic acid by, liver microsomes, 1039

tissue vitamin E concentration and sesaminol in the, 351

transformations of dehydroepiandrosterone and its metabolites by, liver, 1187

RAT LIVER

regulation of phosphatidic acid phosphohydrolase 1 in, 69

REACTIVE OXYGEN SPECIES

n-3 polyunsaturated fatty acids increase susceptibility to damage by, 193

RECOMBINANT PRODUCTION

of γ -linolenic acid, 417

RECOMMENDED DIETARY INTAKES

for long-chain n-3 polyunsaturated fatty acids, 1067

RED BLOOD CELL

fatty acid composition of, of newborn piglets fed *trans* isomers of α -linolenic acid, 849

REGIODISTRIBUTION ANALYSIS

analytical procedure for, of triacylglycerols using α -monoacylglycerols, 817

REGIOSPECIFIC ANALYSIS

of petroselinic acid, oleic acid and *cis*-vaccenic acid, 111

REGIOSPECIFIC PEROXIDATION

observed during aerobic incubation of senescent cells of halophilic purple sulfur bacterium *Thiohalocapsa halophila* in darkness, 541

RENAL TRANSPLANTATION

lipid changes in, 967

REPERFUSION

increased cardiomyocyte apoptosis following ischemia and, in diet-induced hypercholesterolemia, 385

RETINA

sensitivity loss to, in n-3 deficiency, 759

visual acuity and function of, in infant monkeys fed long-chain polyunsaturated fatty acid, 839

REVERSE CHOLESTEROL TRANSPORT

n-3 fatty acid-enriched diet stimulates one step in, in mice, 767

REVERSED-PHASE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY

used in identification of lipid ester core aldehydes formed during rapid oxidation of triacylglycerols of corn and sunflower oils, 81

RHESUS MONKEY

visual acuity and retinal function in infant, fed long-chain polyunsaturated fatty acid, 839

Rhizomucor miehei

kinetic behavior of lipase from, 653

Rhizopus oryzae

kinetic behavior of lipase from, 653

RIB MUSCLE

positional distribution of conjugated linoleic acid in triacylglycerol fractions from lamb, 605

RODS

assessment of function of cones and, 839

RUMENIC ACID

in vitro desaturation and elongation of, by rat liver microsomes, 103
most abundant form of conjugated linoleic acid, found in milk and beef fat, 133
reassessment of contribution of bovine milk fats to *trans*-18:1 isomeric acid consumption by European populations with additional data for, 1149

RUMINANT

investigation of enzymology of conjugated linoleic acid production and incorporation into glycerolipids of, 605

S

SAFFLOWER SEED OIL

relative conjugated linoleic acid isomer distribution identical for methyl linoleate and for sesame seed oil, peanut oil and, 435

SATURATED FATTY ACIDS

diet increased resting forearm blood flow, 1141
dietary *cis* and *trans* monounsaturated fatty acids and, in men, 123

SCAVENGER RECEPTOR B-1 GENE EXPRESSION

quantitative reverse transcriptase-polymerase chain reaction analysis showed two- to threefold increase in, 767

SCIADONIC ACID

fatty acid component of seeds of Abietoids and Pinoids, 17

SEAL OIL

effect of duodenal, administration in patients with inflammatory bowel disease, 935

SEED LIPIDS

saturated and unsaturated anteiso-C₁₉ acids in, from *Hesperopeuce mertensiana* (Pinaceae), 325

SEED OIL

$\Delta 5$ -unsaturated polymethylene-interrupted fatty acids are common constituents of, from all Coniferophyte families, 17

1-(11-SELENADODECYL)-GLYCEROL

investigation of antioxidant action on lipid peroxidation of synthesized selenium compound, 633

1-(11-SELENADODECYL)-3-TROLOX-GLYCEROL

investigation of antioxidant action on lipid peroxidation of synthesized selenium compound, 633

SELENIUM

effect of vitamin E and, on *in vivo* lipid peroxidation, 1125
investigation of antioxidant action of compounds of, 633

SENESCENCE

regiospecific enzymatic oxygenation of *cis*-vaccenic acid during aerobic, of halophilic purple sulfur bacterium *Thiohalocapsa halophila*, 541

SERUM AMYLOID A

apolipoprotein A-II decreases production of interleukin-8 released by neutrophils stimulated with acute-phase apolipoprotein, 925

SERUM CHOLESTEROL

ovomucin may inhibit reabsorption of bile acids in ileum and thereby lower level of, 267

SERUM OXIDIZABILITY

contradictory studies show fish oil supplements having no effect and others showing increase in, 333

SESAME LIGNANS

enhance absorption of tocotrienols, 351

SESAME SEED OIL

relative conjugated linoleic acid isomer distribution identical for methyl linoleate and for safflower seed oil, peanut oil, and, 435

SESAMINOL

tissue vitamin E concentration and, 351

SILANE REAGENT

studies toward the synthesis of, pavonin-5, 1193

SHEEP

trans-ketol chains in plasmalogens of, heart, 811

SHRIMP

lipid transfer, 581

SIGMATIC REARRANGEMENT

evidence for [1,5], of conjugated linoleic acid in heated oils, 435

SIMULASTATIN

effect of high doses of, on very low density lipoprotein production, 445

SMP-500

directly facilitates mobilization of cholesterol from liver, 395

SOLUBLE-PHASE MICROEXTRACTION

method for analysis of 4-hydroxy-2-(*E*)-nonenal with, 621

SOLUTATION

comparisons of kinetic behavior of carboxyl ester hydrolases in, and vinyl esters as emulsion, 653

SOYBEAN OIL

comparison between cod liver oil and, 359

Spheciospongia cuspidifera

novel methoxylated fatty acids from the Caribbean sponge, 305

SPHINGOLIPIDS

important component of signal transduction systems, 43

SPHINGOMYELIN

in vitro effects of fat, fatty acids, and cholesterol on, hydrolysis induced by rat intestinal alkaline sphingomyelinase, 469

SPHINGOMYELINASE

in vitro effects of fat, fatty acids, and cholesterol on sphingomyelin hydrolysis induced by intestinal alkaline, in the rat, 469

Spinacia oleracea L.

thylakoid membranes of, 201

SPLENOCYTE PROLIFERATION

effects of conjugated linoleic acid on, 725

SPONGE(S)

5,9,23-triacontatrienoic methyl ester is an elastase inhibitor from marine, *Chondrilla nucula*, 1109

new cytotoxic fatty acid and sterols from Far Eastern, 75

novel methoxylated fatty acids from Caribbean, *Spheciospongia cuspidifera*, 305

total synthesis of 2-methoxy-14-methylpentadecanoic acid and novel 2-methoxy-14-methylhexadecanoic acid identified in the, *Agelas dispar*, 1033

SPONTANEOUSLY HYPERTENSIVE RAT

antihypertensive effects of dietary unsaturated fatty acid mixture in, 561

STABLE-ISOTOPE

study of conjugated linoleic acid metabolism in women, 741

STARFISH

glucosylceramides from gonads and body walls of the Patagonian, *Allostichaster inaequalis*, 597

STATINS

issues concerning monitoring of, therapy in hypercholesterolemic subjects with high plasma lipoprotein(a) levels, 439

STEARIC ACID

effects on low and high density lipoprotein cholesterol, 123

STEARIDONIC ACID

comparison of effects of dietary α -linolenic acid eicosapentaenoic acid and, on production of inflammatory mediators in mice, 481

Stenotrophomonas maltophilia

left ventricular, predicted by indices of lipid metabolism and peroxidation, 231

STEREOCHEMISTRY

of the hydroperoxides formed during autooxidation of conjugated linoleic acid methyl ester in the presence of α -tocopherol, 533

STEROL BIOSYNTHESIS

oxidosqualene cyclases are crucial enzymes of, in eukaryotes, 1171

STEROL ESTERS

temperature-enhanced alumina high-performance liquid chromatography

- method for the analysis of wax esters, methyl esters, and, 1201
- STEROL METHYL TRANSFERASE**
evidence for multiple, in *Pneumocystis carinii*, 1177
- STEROL REGULATORY ELEMENT-BINDING PROTEIN**
3-hydroxy-3-methylglutaryl-Coenzyme A reductase inhibitors deplete cellular cholesterol causing activation of, 445
oxysterols are potent regulators of activities of transcription factors of, family and of liver X-receptor α , 1163
review of studies on role of transcription factor, 1153
- STEROLS**
changes in, of microsomal membranes during aging of potato seed-tubers, 309
characterize and compare types of, in phytosterol- and phytostanol ester-enriched functional food, 1201
from Far Eastern sponge *Geodina robusta*, 75
of New Zealand green-lipped mussel and Tasmanian blue mussel compared, 587
- STREPTOZOTOCIN**
impaired lipoprotein metabolism in mouse offspring of, -induced diabetic rats, 778
- STRUCTURE AND FUNCTION**
preparation of subthylakoid fractions to associate, 201
- STRUCTURED TRIACYLGLYCEROL**
distribution of medium-chain fatty acids in different lipid classes after administration of specific in rats, 329
- SUBCELLULAR LOCALIZATION**
of oxidosqualene cyclases from *A. halitana*, *T. cruzi*, and *P. carinii* expressed in yeast, 117
- SUBCUTANEOUS ADIPOSE TISSUE**
positional distribution of conjugated linoleic acid in triacylglycerol fractions from lamb, 60
- SUBSTRATE SPECIFICITY**
distinction between lipases and esterases has been based on, 653
- SUNFLOWER SEED OIL**
formation of triacylglycerol core aldehydes during rapid oxidation of, 81
- SUPELCOWAX-10**
evaluation of, for analysis of milkfat, 823
- SUPPLEMENTATION**
effects of large-dose, of vitamin E and selenium, when provided either singly or in combination, on fish oil-induced tissue lipid peroxidation and hyperlipidemia, 1125
- SURFACTANT-LIKE PARTICLES**
dietary fats affect composition of, 463
- SYMPATHETIC NERVOUS ACTIVITY**
changes in, associated with dyslipidemia in humans and rats, 501
- SYNTHESIS**
chemical, of steroidal dienones difficult due to lack of simplified preparation method and impurities, 1197
studies toward the, of shark repellent pavoninin-5, 1193
- T**
- TASMANIAN BLUE MUSSEL**
lipid, fatty acid, and sterol composition of, 587
- TAXOLEIC ACID**
fatty acid component of seeds of Abietoids and Pinoids, 17
- TERMINAL DEOXYNUCLEOTIDE TRANSFERASE-MEDIATED dUTP NICK-END LABELING**
morphologic evidence for apoptosis confirmed by, 173
- 2,3,4,6-TETRA-O-BENZYL-D-GLUCOPYRANOSE**
direct esterification of unprotected bile acids with, 101
- TETRACOSAPENTAENOIC ACID (24:5n-3)**
location of, in metabolic pathway of long-chain polyunsaturated fatty acids, 733
- TETRACOSATETRAENOIC ACID (24:4n-6)**
location of, in metabolic pathway of long-chain polyunsaturated fatty acids, 733
- Thermomyces (Humicola) lanuginosa*
kinetic behavior of lipase from, 653
- THIN-LAYER CHROMATOGRAPHY**
total lipids from lymph samples separated into different lipid classes using, 329
- Thiohalocapsa halophila*
regiospecific enzymatic oxygenation of *cis*-vaccenic acid during aerobic senescence of halophilic purple sulfur bacterium, 541
- THYLAKOID MEMBRANE**
role of glycerolipids in function of, 201
- TOCOPHEROL**
comparison of protective efficiency of plasmalogens and α -, 285
method applied to detection of products of, in peroxidized human plasma, 515
- α -TOCOPHEROL**
investigation of inhibitory effects of selenium compounds on, consumption, 633
stereochemistry of hydroperoxides formed during autooxidation of conjugated linoleic acid methyl ester in the presence of, 533
tissue concentration of, in rats fed a vitamin E concentrate rich in tocotrienols, 351
- γ -TOCOPHERYL QUINONE**
stimulates apoptosis in drug-sensitive and multidrug-resistant cancer cells, 173
- α -TOCOTRIENOL**
tissue concentration of, in rats fed a vitamin E concentrate, 351
- γ -TOCOTRIENOL**
effect on plasma and tissue of rats fed a vitamin E concentrate rich in α -tocopherol, α -tocotrienols and, 351
- TRANSCRIPTION FACTOR**
peroxisome proliferator-activated receptor α is, shown to be preferentially expressed in liver and kidney in rodent species, 981
- TRANSESTERIFICATION**
methodology for synthesis of ethyl, *n*-propyl, *n*-butyl, and 2-methoxyethyl fatty acid derivatives by base-catalyzed, of glycerides, 527
- TRANSFER OF LIPIDS**
between hemolymph and hepatopancreas in the shrimp *Macrobrachium borellii*, 581
- TRANSGENIC PLANT**
production of γ -linolenic acid in, 417
- TRANSMISSION ELECTRON MICROSCOPY**
shows cytotoxicity of γ -tocopheryl quinone associated with morphologic characteristics of apoptosis, 173
- TREADMILL RUNNING**
study to investigate whether long-term period of, induces alterations in endothelin-1 regulatory actions, 43
- 5,9,23-TRIACONTATRIENOIC METHYL ESTER**
elastase inhibitor from marine sponge *Chondrilla nucula*, 1109
- TRIACYLGLYCEROL(S)**
comparison of kinetic behavior of lipases and esterases against solutions and emulsions of vinyl esters and, 653
direct method for regiospecific analysis of, using α -monoacylglycerols, 817
distribution of medium-chain fatty acids in different lipid classes after administration of specific structured, in rats, 329
isolation of lipid ester core aldehydes formed during rapid oxidation of, of purified corn and sunflower oils, 81
lipase-catalyzed hydrolysis of, containing acetylenic fatty acids, 997
long-chain polyunsaturated fatty acids in the form of phospholipids or, influence lymph lipoprotein size and composition in piglets, 975
reduced secretion of, in Caco-2 cells transfected with intestinal fatty acid-binding protein, 61
resulting from diesterification of monoacylglycerols with *n*-butyryl chloride, 111
significant differences in composition of molecular species of very low density lipid, 613

TRIACYLGLYCEROL CORE ALDEHYDES

formation of, during rapid oxidation of corn and sunflower oils, 81
9,9,9-TRIDEUTERO-1,4-DIHYDROXYNONANE MERCAPTURIC

ACID

synthesis of, useful internal standard for 2,4-dihydroxynonanone mercapturic acid urinalysis, 1013

7,7,7-TRIDEUTEROHEPTANAL

starting methyl esters obtained from, 1013

TRIGLYCERIDE(S)

addition of, to nascent very low density lipoprotein in liver, 879
conjugated linoleic acid but not conjugated linoleic acid significantly increased liver concentrations of, 343
effects of quercetin on, secretion in human intestinal cell-line, 647
measured enzymatically, 573
role of, in lipids and endothelium-dependent vasodilation, 1

TRIGLYCERIDE SECRETION

effects of feeding soy protein and menhaden oil on, in rats, 693

TRIMETHYLENE DIOXYALKANYL DERIVATIVE

investigation of alkenyl chains from sheep heart plasmalogens after their conversion into, 811

***Tsuga* spp.**

review of seed fatty acid composition of, 17

TUMORIGENESIS

exploration of mechanism by which palm carotenes suppress, 557

TUMOR NECROSIS FACTOR

measured in whole blood and splenocytes stimulated with lipopolysaccharide, 481

TUMOR NECROSIS FACTOR- α

adipose tissue weight was related to serum leptin concentration more than concentration of, 343

effect of apolipoproteins A-I and A-II on release of, 925

TWINS

assessment of dietary and genetic factors influencing serum and adipose fatty acid composition in obese female identical, 27

U**UNCOUPLING PROTEIN 1**

tumor necrosis factor- α increased level of, of brown adipose tissue, 343

UNCOUPLING PROTEINS

effects of dietary conjugated linoleic acid on the expression of, in mice and rats, 853

***trans*-UNSATURATED FATTY ACID(S)**

critique of 50-m CP-Sil 88 capillary columns used alone to assess, in foods, 627

V***cis*-VACCENIC ACID**

regiospecific analysis of, 111

regiospecific enzymatic oxygenation of, during aerobic senescence of halophilic purple sulfur bacterium *Thiohalocapsa halophila*, 541

VASCULAR DYSFUNCTION

improvement of, by marine oil-based phytosterol compound, 147

VASCULAR ENDOTHELIAL GROWTH FACTOR

fatty acids mobilized by, in human endothelial cells, 1047

VASCULATURE

fatty acid composition in circulation influences reactivity of, 1141

VASODILATION

review of lipids and endothelium-dependent, 1

VERY LOW DENSITY LIPID RELEASE

effect of SMP-500 on, 395

VERY LOW DENSITY LIPOPROTEIN(S)

addition of triglyceride to nascent, in liver, 879
significant differences in composition of molecular species of, triacylglycerols, 613

VESICLES

quantitative autooxidation kinetics of dilinoleoyl phosphatidylcholine studied in large unilamellar, 893

VINYL ESTERS

hydrolysis of, by esterases and lipases, 653

VIRGIN OLIVE OIL

effects of, on the oxidant/antioxidant status, 245

VITAMIN E

analysis of, and its oxidation products by high-performance liquid chromatography with electrochemical detection, 515

and fish oil enhance doxorubicin effects in P388 tumor-bearing mice, 549

effects of, and selenium intake on oxidative stress and plasma lipids in hamsters fed fish oil, 1125

olive oil phenolics protect low density lipoproteins and spare, in the hamster, 1053

tissue concentration of, 351

W**WAX ESTERS**

temperature-enhanced alumina high-performance liquid chromatography method for the analysis of sterol esters, methyl esters, and, 1201

WITTIG REACTION

biosynthesis into, by bacterium *Stenotrophomonas maltophilia*, 317

WOMEN

conjugated linoleic acid metabolism in, 741

effect of exercise on fatty acid profiles in n-3 fatty acid supplemented and nonsupplemented premenopausal, 947

X**XANTHATE**

inhibitory effect of, on phosphatidylcholine-specific phospholipase C, 401

Z**ZINC DEFICIENCY**

and synthesis of (S)- α -amino oleic acid, 223

effect of, on the lipid metabolism in rat lung, 291

